First Hit

L10: Entry 2 of 50

File: PGPB

Apr 22, 2004

PGPUB-DOCUMENT-NUMBER: 20040077965

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040077965 A1

TITLE: Method for diagnosis of helicobacter pylori infection

PUBLICATION-DATE: April 22, 2004

INVENTOR - INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Hubbard, Todd W. Lake Forrest Park WA US
Putnam, David L. Sammamish WA US

ASSIGNEE-INFORMATION:

NAME CITY STATE COUNTRY TYPE CODE

Photonic BioSystems, Inc. 02

APPL-NO: 10/ 294352 [PALM]
DATE FILED: November 13, 2002

RELATED-US-APPL-DATA:

Application is a non-provisional-of-provisional application 60/331275, filed November 13, 2001,

INT-CL: [07] $\underline{A61}$ \underline{B} $\underline{5/08}$, $\underline{G01}$ \underline{N} $\underline{33/497}$, $\underline{G01}$ \underline{N} $\underline{31/00}$

US-CL-PUBLISHED: 600/532; 073/023.3, 422/084

US-CL-CURRENT: $\underline{600}/\underline{532}$; $\underline{422}/\underline{84}$, $\underline{73}/\underline{23.3}$

REPRESENTATIVE-FIGURES: 1B

ABSTRACT:

A rapid, non-invasive breath-test method and device for diagnosing the presence or absence of H. pylori in a subject without administration of isotopic tracers is described. The device consists of a highly sensitive colorimetric ammonia sensor placed in contact with sampled subject breath. The sensor is measured using appropriate reflection spectroscopy instrumentation. The breath-test method consists of measuring a basal ammonia level with the device, administering non-isotopic urea and continuing measurement of the ammonia content in a plurality of consecutive breaths. Diagnostic differences in breath ammonia are identified between H. pylori infected and uninfected individuals.

RELATED APPLICATIONS

[0001] This application claims the benefit of the filing of U.S. Ser. No. 60/331,275 entitled "Method for Diagnosis of Helicobacter Pylori Infection" filed

on Nov. 13, 2001, hereby incorporated by reference.

FILE ORDERING order patent files results



Thursday 5/27/04 12:52:19 PM WFO1003PR

Serial# 09/574734 File order accepted

Place another order

of 1

WEST Search History

Cancel Hide Items Restore Clear

DATE: Thursday, May 27, 2004

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count
	DB=PC	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=AND	
-const	L1	meridian.asn.	297
-	L2	L1 and (stool or faecal or fecal or feces or faeces or excrement or (colonic near3 (contents or excreta or material)))	18
	L3	L2 and (pylori or helicobacter or pylroi or pylrois or pyloris or pylorum or pyloridis or hpylori)	12
- 200-00 E	L4	L2 and (pylori or helicobacter or pylroi or pylrois or pyloris or pylorim or pyloridis or hpylori)	12
	L5	(pylori or helicobacter or pylroi or pylrois or pyloris or pylorum or pyloridis or hpylori)	6774
Tara a	L6	(stool or faecal or feces or faeces or excrement or (colonic near3 (contents or excreta or material)))	49714
	L7	L6 same 15	162
	L8	L7 not 11	151
	L9	L8 and (hybridoma or monoclonal or mono-clonal or moab or mab or m-ab or motibodies or antibody)	108
	L10	L8 same (hybridoma or monoclonal or mono-clonal or moab or mab or m-ab or mo-ab or antibodies or antibody)	50

END OF SEARCH HISTORY

Generate Collection

Print ,

Search Results - Record(s) 2 through 50 of 50 returned.

, , ,
© 2. 20040077965. 13 Nov 02. 22 Apr 04. Method for diagnosis of helicobacter pylori infection. Hubbard, Todd W., et al. 600/532; 422/84 73/23.3 A61B005/08 G01N033/497 G01N031/00.
3. 20040044197. 27 Jun 03. 04 Mar 04. Fluorinated photosensitizers related to chlorins and bacteriochlorins for photodynamic therapy. Pandey, Ravindra K., et al. 540/140; C09B047/04.
Γ 4. 20040023316. 27 Apr 01. 05 Feb 04. New method for detecting acid-resistant microorganisms in the stool. Reiter, Christian, et al. 435/7.32; G01N033/554 G01N033/569.
☐ 5. 20040019505. 21 Jul 03. 29 Jan 04. Personalized health communication system. Bowman, Bradley R., et al. 705/2; G06F017/60.
6. <u>20030224401</u> . 19 Feb 03. 04 Dec 03. Proteins for helicobacter diagnosis. Barthold, Stephen, et al. 435/6; 435/227 435/252.3 435/320.1 435/69.3 435/7.32 530/388.26 536/23.2 C12Q001/68 G01N033/554 G01N033/569 C07H021/04 C12N009/78 C12P021/02 C12N001/21.
7. 20030148411. 22 Jan 03. 07 Aug 03. Method for detecting helicobacter pylori and heilmanii in fecal and salivary specimen and biopsy material. Armbruster, Franz Paul, et al. 435/7.32; G01N033/554 G01N033/569.
☐ 8. <u>20030124633</u> . 10 Jun 02. 03 Jul 03. Diagnostic methods. Kleimola, Vesa, et al. 435/7.32; G01N033/554 G01N033/569.
9. 20030124632. 10 Jun 02. 03 Jul 03. Diagnostic methods. Kleimola, Vesa, et al. 435/7.32; G01N033/554 G01N033/569.
☐ 10. 20030109813. 10 Dec 02. 12 Jun 03. Energy-activated targeted cancer therapy. Chen, James. 601/2; A61H001/00.
11. 20030104484. 31 Dec 02. 05 Jun 03. Materials and methods for detection and quantitation of an analyte. Cleaver, Brian D., et al. 435/7.1; G01N033/53.
12. 20020182600. 11 Apr 01. 05 Dec 02. Method for assaying biological and other constituents using synthetic nucleounits in lateral flow, liquid, and dry chemistry techniques. Smith, Jack V 435/6; C12Q001/68.
13. 20020160428. 26 Apr 02. 31 Oct 02. Quantitative non-instrumental immunoassay and device using coloured particles. Sundrehagen, Erling. 435/7.9; 435/287.2 G01N033/53 G01N033/542 C12M001/34.
14. <u>20020142291</u> . 13 Apr 01. 03 Oct 02. Positive detection lateral-flow apparatus and method for small and large analytes. Bauer, Jeffrey S., et al. 435/5; 435/287.2 435/345 435/7.1 436/518 C12M001/34 G01N033/543 C12Q001/70 G01N033/53 C12M003/00 C12N005/06 C12N005/16.
15. 20020090660. 10 Jan 02. 11 Jul 02. Helicobacter pylori antigens in blood. Yi, Ching Sui A., et

al. 435/7.32; G01N033/554 G01N033/569.
☐ 16. 20020087205. 13 Jul 01. 04 Jul 02. Transcutaneous photodynamic treatment of targeted cells. Chen, James. 607/88; 606/9 A61B018/18 A61N001/00.
17. <u>6699722</u> . 13 Apr 01; 02 Mar 04. Positive detection lateral-flow apparatus and method for small and large analytes. Bauer; Jeffrey S., et al. 436/518; 422/56 422/57 435/7.1 435/7.92 436/514 436/541. G01N033/543.
☐ 18. <u>6555390</u> . 10 May 99; 29 Apr 03. Chromatographic assay or test device. Chandler; Howard Milne. 436/518; 422/56 422/58 422/61 435/287.1 435/287.2 435/287.7 435/287.8 435/287.9 435/4 435/7.1 435/803 435/805 435/810 435/970 436/169 436/501 436/514 436/524 436/527 436/528 436/530 436/538 436/541 436/807 436/810 436/814 436/823. G01N033/543.
☐ 19. <u>6544772</u> . 08 Aug 00; 08 Apr 03. Polynucleotides, materials incorporating them, and methods for using them. Glenn; Matthew, et al. 435/252.3; 435/320.1 536/23.7. C12N001/21 C12N015/63 C12N015/31.
20. <u>6528321</u> . 26 Jun 00; 04 Mar 03. Opposable-element chromatographic assay device for detection of analytes in whole blood samples. Fitzgerald; Daniel, et al. 436/514; 422/55 422/56 422/58 422/61 435/287.1 435/287.9 435/805 435/810 435/962 435/970 436/169 436/174 436/518 436/524 436/525 436/528 436/531 436/805 436/810. G01N033/53.
21. <u>6500629</u> . 13 Sep 00; 31 Dec 02. Materials and methods for detection and quantitation of an analyte. Cleaver; Brian D., et al. 435/7.92; 422/101 422/102 422/55 422/56 422/57 422/58 422/59 422/60 422/61 422/70 435/188 435/28 435/4 435/5 435/6 435/7.1 435/7.21 435/810 436/507 436/513 436/518 436/531 436/548 436/808 436/810 436/814 436/818 436/826 530/300 530/350 536/23.4 53 6/23.7. G01N033/53.
22. <u>6476209</u> . 28 Nov 00; 05 Nov 02. Polynucleotides, materials incorporating them, and methods for using them. Glenn; Matthew, et al. 536/23.1; 435/6 435/91.1 530/200 536/22.1. C07H021/02 C07H021/04 C12Q001/68 C12P019/34.
23. <u>6365198</u> . 28 Jan 01; 02 Apr 02. Pharmaceutical preparation for the treatment of gastrointestinal ulcers and hemorrhoids. Niazi; Sarfaraz K 424/725;. A01K065/00 A61K035/78.
☐ 24. <u>6248551</u> . 23 Feb 98; 19 Jun 01. Helicobacter aliphatic amidase AmiE polypeptides, and DNA sequences encoding those polypeptides. De Reuse; Hilde, et al. 435/18; 435/106 435/228 435/32 435/6 514/2 530/344 530/350. A61K039/02.
© 25. <u>6107464</u> . 06 Oct 99; 22 Aug 00. iceA gene and related methods. Miller; Geraldine G., et al. 530/350; 424/185.1. C07K001/00 C07K014/00.
26. <u>6017767</u> . 05 Jun 95; 25 Jan 00. Assay device. Chandler; Howard M 436/514; 422/56 422/57 422/58 422/61 435/287.7 435/287.9 435/288.4 435/288.5 435/7.1 435/7.2 435/7.9 435/7.93 435/7.94 435/7.95 435/969 435/970 435/973 436/518 436/524 436/807 436/809 436/810. G01N033/558 G01N033/543.
☐ 27. <u>6004354</u> . 15 Apr 98; 21 Dec 99. IceA gene and related methods. Miller; Geraldine G., et al. 435/6; 435/7.32 514/44. C12N015/00.

28. <u>5998220</u> . 10 Feb 94; 07 Dec 99. Opposable-element assay devices, kits, and methods employing them. Chandler; Howard M 436/514; 422/55 422/56 422/58 422/61 435/287.1 435/287.2 435/287.7 435/287.8 435/287.9 435/288.5 435/7.92 435/7.93 435/7.94 435/805 435/810 435/970 435/973 435/975 436/164 436/169 436/518 436/530 436/807 436/808 436/810. G01N033/558.
29. <u>5965458</u> . 09 Apr 97; 12 Oct 99. Test strip, its production and use. Kouvonen; Ilkka Sakari, et al. 436/518; 422/56 422/57 422/58 435/287.1 435/287.2 435/287.7 435/287.9 435/7.32 435/7.35 435/805 435/810 435/970 435/973 436/169 436/510 436/514 436/530 436/531 436/533 436/534 436/536 436/65 436/805 436/810 436/818. G01N033/543 G01N033/558.
30. <u>5939252</u> . 09 May 97; 17 Aug 99. Detachable-element assay device. Lennon; Donald J., et al. 435/4; 422/58 435/7.1 435/7.2 435/7.32 435/7.34 435/7.92 435/7.93 435/7.94 435/7.95 435/970 435/975 436/518 436/525 436/807 436/808 436/825. C12Q001/00 G01N033/543.
31. <u>5919463</u> . 16 Oct 95; 06 Jul 99. Clostridium difficle toxins as mucosal adjuvants. Thomas, Jr.; William D., et al. 424/239.1; 424/184.1 424/192.1 424/234.1 424/236.1 424/247.1 424/278.1 424/94.6 514/2 530/300 530/350 530/825. A61K039/08 A61K038/46.
32. <u>5877028</u> . 31 Mar 93; 02 Mar 99. Immunochromatographic assay device. Chandler; Howard M., et al. 436/514; 422/56 422/58 422/60 435/287.1 435/287.2 435/287.7 435/287.9 435/7.92 435/7.93 435/7.94 435/7.95 435/805 435/810 435/970 435/975 436/169 436/501 436/518 436/805 436/810. G01N033/558.
33. <u>5869345</u> . 02 Jun 95; 09 Feb 99. Opposable-element assay device employing conductive barrier. Chandler; Howard M 436/514; 422/55 422/56 422/57 422/58 435/287.1 435/287.2 435/287.7 435/287.8 435/287.9 435/288.3 435/288.4 435/805 435/810 435/970 435/973 435/975 436/164 436/169 436/518 436/530 436/536 436/538 436/541 436/805 436/808 436/810. G01N033/543 G01N033/558.
34. <u>5846838</u> . 18 Jun 97; 08 Dec 98. Opposable-element assay device employing conductive barrier. Chandler; Howard M 436/514; 422/55 422/56 422/57 422/58 435/287.1 435/287.2 435/287.7 435/287.8 435/287.9 435/805 435/810 435/970 435/973 435/975 436/169 436/518 436/530 436/805 436/808 436/810. G01N033/558 G01N033/543.
35. <u>5837240</u> . 26 Aug 97; 17 Nov 98. Multimeric, recombinant urease vaccine. Lee; Cynthia K., et al. 424/94.6; 424/234.1 435/227 514/925 514/926 514/927. A61K038/46 A61K039/02 A61K039/106.
☐ 36. <u>5780278</u> . 20 May 96; 14 Jul 98. IceA gene and related methods. Miller; Geraldine G., et al. 536/23.7; 435/6. C12N015/00.
37. <u>5712170</u> . 14 Nov 94; 27 Jan 98. Test strip, its production and use. Kouvonen; Ilkka Sakari, et al. 436/518; 422/56 422/57 422/58 435/287.1 435/287.2 435/287.7 435/287.9 435/4 435/805 435/810 435/970 435/971 435/973 436/169 436/510 436/514 436/528 436/531 436/805 436/810. G01N033/543 G01N033/558.
38. <u>5607863</u> . 07 Dec 93; 04 Mar 97. Barrier-controlled assay device. Chandler; Howard M 436/518; 422/104 422/56 422/57 422/58 422/61 435/7.92 435/7.93 435/7.94 435/805 435/969 435/970 436/165 436/170 436/514 436/810. G01N033/543 G01N033/558.
39. <u>5468648</u> . 07 Dec 93; 21 Nov 95. Interrupted-flow assay device. Chandler; Howard M 436/518; 422/58 422/60 435/7.1 435/7.92 435/7.93 435/7.94 435/7.95 435/970 435/973 435/974

436/514 436/525 436/530 436/538 436/540 436/807 436/810. G01N033/543.
40. <u>5459041</u> . 18 Feb 88; 17 Oct 95. Campylobacter pylori antigens and uses thereof for detection of Campylobacter pylori infection. Blaser; Martin J., et al. 435/7.21; 435/7.3 435/7.92 435/7.93 435/7.94 435/7.95 435/961 435/974 435/975 436/518 436/527 436/528 436/529 436/531 436/533 436/547 436/804 530/350 530/413 530/806 530/810 530/825. G01N033/53.
41. JP02002333447A. 10 May 01. 22 Nov 02. INSPECTION METHOD FOR DETERMINING INFECTION TO HELICOBACTER PYLORI. WAKASUGI, MASAHIKO, et al. G01N033/573; C07K016/40 C12N005/10 G01N033/569 G01N033/577.
42. WO003093818A2. 30 Apr 03. 13 Nov 03. METHOD FOR PRE-TREATING STOOL SAMPLES. WENGLER, GEORGE. G01N033/53;.
43. WO002088737A1. 23 Apr 02. 07 Nov 02. IMMUNOCHROMATOGRAPHIC TEST PIECE AND DIAGNOSIS KIT. NAKAYA, SEIGO, et al. G01N033/543; G01N033/569 G01N033/573.
44. WO000163285A2. 14 Feb 01. 30 Aug 01. METHOD FOR DETECTING <i>HELICOBACTER PYLORI</i> AND <i>HEILMANII</i> IN FECAL AND SALIVARY SPECIMEN AND BIOPSY MATERIAL. ARMBRUSTER, FRANZ PAUL, et al. G01N033/569;.
45. <u>DE 10219741A</u> . Pretreating <u>fecal</u> samples, useful for detecting <u>Helicobacter pylori</u> antigens, by releasing antigens from endogenous <u>antibodies</u> , to allow their immunochemical detection. WENGLER, G S, et al. C12Q001/04 G01N001/28 G01N033/53 G01N033/569.
46. WO2002102842A. Novel immunogenic Helicobacter species surface protein useful as diagnostic antigens in immunodiagnostic tests e.g. for diagnosing liver, bile tract pancreas and inflammatory bowel disease in humans and animals. LJUNG, A, et al. C07K014/195 C07K014/205 G01N033/569.
47. <u>US20020182600A</u> . Detecting an analyte e.g. cocaine involves conjugating the nucleounits to indicator for the analyte forming nucleounit indicator conjugate and detecting the analyte of interest using the nucleounit indicator conjugate in a buffer. SMITH, J V. C12Q001/68.
48. WO 200288737A. Immunochromatographic test pieces with <u>antibody</u> on laminate for color reaction in kits for detecting <u>Helicobacter pylori</u> infection using <u>feces</u> as specimen e.g. in diagnosis of gastric or duodenal ulcer, chronic gastritis or stomach cancer. HIRATA, H, et al. G01N033/543 G01N033/569 G01N033/573.
49. <u>DE 10006432A</u> . Method for detecting microbial antigens in <u>feces</u> and saliva, useful for diagnosis and monitoring of <u>Helicobacter pylori</u> infection, by double- <u>antibody</u> sandwich assay. ARMBRUSTER, F P, et al. G01N033/541 G01N033/543 G01N033/554 G01N033/569 G01N033/577 G01N033/58.
50. <u>US 5607863A</u> . Chromatographic device for specific binding assay - uses a barrier, having an aperture, to control delivery of sample and reagent, provides improved accuracy and precision. CHANDLER, H M. A61K000/00 G01N033/532 G01N033/543 G01N033/558 G01N033/58.
Generate Collection Print

Terms	Documents
L8 same (hybridoma or monoclonal or mono-clonal or moab or mab	50
or m-ab or mo-ab or antibodies or antibody)	50

Prev Page Next Page Go to Doc#


Generate Collection

Print

Search Results - Record(s) 2 through 50 of 50 returned.

2. <u>20040077965</u> . 13 Nov 02. 22 Apr 04. Method for diagnosis of helicobacter pylori infection. Hubbard, Todd W., et al. 600/532; 422/84 73/23.3 A61B005/08 G01N033/497 G01N031/00.
☐ 3. 20040044197. 27 Jun 03. 04 Mar 04. Fluorinated photosensitizers related to chlorins and bacteriochlorins for photodynamic therapy. Pandey, Ravindra K., et al. 540/140; C09B047/04.
4. 20040023316. 27 Apr 01. 05 Feb 04. New method for detecting acid-resistant microorganisms in the stool. Reiter, Christian, et al. 435/7.32; G01N033/554 G01N033/569.
5. 20040019505. 21 Jul 03. 29 Jan 04. Personalized health communication system. Bowman, Bradley R., et al. 705/2; G06F017/60.
6. <u>20030224401</u> . 19 Feb 03. 04 Dec 03. Proteins for helicobacter diagnosis. Barthold, Stephen, et al. 435/6; 435/227 435/252.3 435/320.1 435/69.3 435/7.32 530/388.26 536/23.2 C12Q001/68 G01N033/554 G01N033/569 C07H021/04 C12N009/78 C12P021/02 C12N001/21.
7. 20030148411. 22 Jan 03. 07 Aug 03. Method for detecting helicobacter pylori and heilmanii in fecal and salivary specimen and biopsy material. Armbruster, Franz Paul, et al. 435/7.32; G01N033/554 G01N033/569.
☐ 8. <u>20030124633</u> . 10 Jun 02. 03 Jul 03. Diagnostic methods. Kleimola, Vesa, et al. 435/7.32; G01N033/554 G01N033/569.
9. <u>20030124632</u> . 10 Jun 02. 03 Jul 03. Diagnostic methods. Kleimola, Vesa, et al. 435/7.32; G01N033/554 G01N033/569.
10. 20030109813. 10 Dec 02. 12 Jun 03. Energy-activated targeted cancer therapy. Chen, James. 601/2; A61H001/00.
11. 20030104484. 31 Dec 02. 05 Jun 03. Materials and methods for detection and quantitation of an analyte. Cleaver, Brian D., et al. 435/7.1; G01N033/53.
12. 20020182600. 11 Apr 01. 05 Dec 02. Method for assaying biological and other constituents using synthetic nucleounits in lateral flow, liquid, and dry chemistry techniques. Smith, Jack V 435/6; C12Q001/68.
☐ 13. 20020160428. 26 Apr 02. 31 Oct 02. Quantitative non-instrumental immunoassay and device using coloured particles. Sundrehagen, Erling. 435/7.9; 435/287.2 G01N033/53 G01N033/542 C12M001/34.
14. <u>20020142291</u> . 13 Apr 01. 03 Oct 02. Positive detection lateral-flow apparatus and method for small and large analytes. Bauer, Jeffrey S., et al. 435/5; 435/287.2 435/345 435/7.1 436/518 C12M001/34 G01N033/543 C12Q001/70 G01N033/53 C12M003/00 C12N005/06 C12N005/16.
15. 20020090660, 10 Jan 02. 11 Jul 02. Helicobacter pylori antigens in blood. Yi. Ching Sui A et

al. 435/7.32; G01N033/554 G01N033/569.
16. 20020087205. 13 Jul 01. 04 Jul 02. Transcutaneous photodynamic treatment of targeted cells. Chen, James. 607/88; 606/9 A61B018/18 A61N001/00.
17. 6699722. 13 Apr 01; 02 Mar 04. Positive detection lateral-flow apparatus and method for small and large analytes. Bauer; Jeffrey S., et al. 436/518; 422/56 422/57 435/7.1 435/7.92 436/514 436/541. G01N033/543.
☐ 18. <u>6555390</u> . 10 May 99; 29 Apr 03. Chromatographic assay or test device. Chandler; Howard Milne. 436/518; 422/56 422/58 422/61 435/287.1 435/287.2 435/287.7 435/287.8 435/287.9 435/4 435/7.1 435/803 435/805 435/810 435/970 436/169 436/501 436/514 436/524 436/527 436/528 436/530 436/538 436/541 436/807 436/810 436/814 436/823. G01N033/543.
19. <u>6544772</u> . 08 Aug 00; 08 Apr 03. Polynucleotides, materials incorporating them, and methods for using them. Glenn; Matthew, et al. 435/252.3; 435/320.1 536/23.7. C12N001/21 C12N015/63 C12N015/31.
20. <u>6528321</u> . 26 Jun 00; 04 Mar 03. Opposable-element chromatographic assay device for detection of analytes in whole blood samples. Fitzgerald; Daniel, et al. 436/514; 422/55 422/56 422/58 422/61 435/287.1 435/287.9 435/805 435/810 435/962 435/970 436/169 436/174 436/518 436/524 436/525 436/528 436/531 436/805 436/810. G01N033/53.
21. <u>6500629</u> . 13 Sep 00; 31 Dec 02. Materials and methods for detection and quantitation of an analyte. Cleaver; Brian D., et al. 435/7.92; 422/101 422/102 422/55 422/56 422/57 422/58 422/59 422/60 422/61 422/70 435/188 435/28 435/4 435/5 435/6 435/7.1 435/7.21 435/810 436/507 436/513 436/518 436/531 436/548 436/808 436/810 436/814 436/818 436/826 530/300 530/350 536/23.4 53 6/23.7. G01N033/53.
22. <u>6476209</u> . 28 Nov 00; 05 Nov 02. Polynucleotides, materials incorporating them, and methods for using them. Glenn; Matthew, et al. 536/23.1; 435/6 435/91.1 530/200 536/22.1. C07H021/02 C07H021/04 C12Q001/68 C12P019/34.
23. 6365198. 28 Jan 01; 02 Apr 02. Pharmaceutical preparation for the treatment of gastrointestinal ulcers and hemorrhoids. Niazi; Sarfaraz K 424/725;. A01K065/00 A61K035/78.
24. <u>6248551</u> . 23 Feb 98; 19 Jun 01. Helicobacter aliphatic amidase AmiE polypeptides, and DNA sequences encoding those polypeptides. De Reuse; Hilde, et al. 435/18; 435/106 435/228 435/32 435/6 514/2 530/344 530/350. A61K039/02.
25. <u>6107464</u> . 06 Oct 99; 22 Aug 00. iceA gene and related methods. Miller; Geraldine G., et al. 530/350; 424/185.1. C07K001/00 C07K014/00.
26. <u>6017767</u> . 05 Jun 95; 25 Jan 00. Assay device. Chandler; Howard M 436/514; 422/56 422/57 422/58 422/61 435/287.7 435/287.9 435/288.4 435/288.5 435/7.1 435/7.2 435/7.9 435/7.93 435/7.94 435/7.95 435/969 435/970 435/973 436/518 436/524 436/807 436/809 436/810. G01N033/558 G01N033/543.
27. <u>6004354</u> . 15 Apr 98; 21 Dec 99. IceA gene and related methods. Miller; Geraldine G., et al. 435/6; 435/7.32 514/44. C12N015/00.



436/514 436/525 436/530 436/538 436/540 436/807 436/810. G01N033/543.
40. <u>5459041</u> . 18 Feb 88; 17 Oct 95. Campylobacter pylori antigens and uses thereof for detection of Campylobacter pylori infection. Blaser; Martin J., et al. 435/7.21; 435/7.3 435/7.92 435/7.93 435/7.94 435/7.95 435/961 435/974 435/975 436/518 436/527 436/528 436/529 436/531 436/533 436/547 436/804 530/350 530/413 530/806 530/810 530/825. G01N033/53.
41. <u>JP02002333447A</u> . 10 May 01. 22 Nov 02. INSPECTION METHOD FOR DETERMINING INFECTION TO HELICOBACTER PYLORI. WAKASUGI, MASAHIKO, et al. G01N033/573; C07K016/40 C12N005/10 G01N033/569 G01N033/577.
42. WO003093818A2. 30 Apr 03. 13 Nov 03. METHOD FOR PRE-TREATING STOOL SAMPLES. WENGLER, GEORGE. G01N033/53;.
43. WO002088737A1. 23 Apr 02. 07 Nov 02. IMMUNOCHROMATOGRAPHIC TEST PIECE AND DIAGNOSIS KIT. NAKAYA, SEIGO, et al. G01N033/543; G01N033/569 G01N033/573.
44. WO000163285A2. 14 Feb 01. 30 Aug 01. METHOD FOR DETECTING <i>HELICOBACTER PYLORI</i> AND <i>HEILMANII</i> IN FECAL AND SALIVARY SPECIMEN AND BIOPSY MATERIAL. ARMBRUSTER, FRANZ PAUL, et al. G01N033/569;.
45. <u>DE 10219741A</u> . Pretreating <u>fecal</u> samples, useful for detecting <u>Helicobacter pylori</u> antigens, by releasing antigens from endogenous <u>antibodies</u> , to allow their immunochemical detection. WENGLER, G S, et al. C12Q001/04 G01N001/28 G01N033/53 G01N033/569.
46. WO2002102842A. Novel immunogenic Helicobacter species surface protein useful as diagnostic antigens in immunodiagnostic tests e.g. for diagnosing liver, bile tract pancreas and inflammatory bowel disease in humans and animals. LJUNG, A, et al. C07K014/195 C07K014/205 G01N033/569.
47. <u>US20020182600A</u> . Detecting an analyte e.g. cocaine involves conjugating the nucleounits to indicator for the analyte forming nucleounit indicator conjugate and detecting the analyte of interest using the nucleounit indicator conjugate in a buffer. SMITH, J V. C12Q001/68.
48. WO 200288737A. Immunochromatographic test pieces with <u>antibody</u> on laminate for color reaction in kits for detecting <u>Helicobacter pylori</u> infection using <u>feces</u> as specimen e.g. in diagnosis of gastric or duodenal ulcer, chronic gastritis or stomach cancer. HIRATA, H, et al. G01N033/543 G01N033/569 G01N033/573.
49. <u>DE 10006432A</u> . Method for detecting microbial antigens in <u>feces</u> and saliva, useful for diagnosis and monitoring of <u>Helicobacter pylori</u> infection, by double- <u>antibody</u> sandwich assay. ARMBRUSTER, F P, et al. G01N033/541 G01N033/543 G01N033/554 G01N033/569 G01N033/577 G01N033/58.
50. <u>US 5607863A</u> . Chromatographic device for specific binding assay - uses a barrier, having an aperture, to control delivery of sample and reagent, provides improved accuracy and precision. CHANDLER, H M. A61K000/00 G01N033/532 G01N033/543 G01N033/558 G01N033/58.
Generate Collection Print

Terms	Documents
L8 same (hybridoma or monoclonal or mono-clonal or moab or mab	50
or m-ab or mo-ab or antibodies or antibody)	

Prev Page Next Page Go to Doc#

First Hit

End of Result Set

L10: Entry 50 of 50

File: DWPI

Feb 9, 2004

DERWENT-ACC-NO: 1995-224441

DERWENT-WEEK: 200413

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Chromatographic device for specific binding assay - uses a barrier, having an an aperture, to control delivery of sample and reagent, provides improved accuracy and precision

Basic Abstract Text (2):

USE - The device is used to perform immunoassays, opt. with signal amplification, e.g. for detection of lipopolysaccharides, haemoglobin (in <u>faeces</u>), antibodies to <u>Helicobacter pylori</u> etc.. More generally any other specific binding assays (e.g. lectin or receptor plus ligand; enzyme plus inhibitor or substrate, complementary nucleic acids) can be done.

First Hit Fwd Refs

L10: Entry 25 of 50

File: USPT

Aug 22, 2000

DOCUMENT-IDENTIFIER: US 6107464 A TITLE: iceA gene and related methods

Detailed Description Text (46):

The sample can be a fluid sample comprising any body fluid which would contain IceA, a H. pylori cell containing the antigen or an antibody against H. pylori, such such as blood, plasma, serum, saliva, gastric juice, sputum, mucus, urine and stool. Tissue samples can include gastric or duodenal tissue.

First Hit Fwd Refs

End of Result Set

L5: Entry 3 of 3

File: USPT

Feb 10, 1998

DOCUMENT-IDENTIFIER: US 5716791 A

TITLE: Immunoassay for H. pylori in fecal specimens

Abstract Text (1):

A process for the determination of H. pylori in a sample diluent; (b) dispersing a fecal specimen suspected of carrying H. pylori in a sample diluent; (b) (b) contacting the fecal specimen in the diluent with a first polyclonal antibody for H. pylori antigen to form a complex of the antibody and the antigen; (c) separating said specimen and said complex; (d) exposing the complex to a second polyclonal antibody for said antigen and a portion of the antibody reacting with said complex, one of said first and second antibody being bound to a solid carrier and the other being labeled with a detection agent; and (e) determining the amount of the labeled antibody and in turn determining the presence of H. pylori antigen in said fecal specimen.

Brief Summary Text (4):

Several major antigens have been identified and used in immunoassays in the detection of H. pylori antibodies. However, these assays have not exhibited the specificity and sensitivity that are desired in serodiagnosis. Newell, D. G., et al. Serodian. Immunother. Infec. Dis.,, 3:1-6 (1989). One problem with of these immunoassays is cross-reactivity. Studies of the dominant antigens in H. pylori, in particular, the putative flagellar protein, which has a molecular weight of 60 Da, have shown that some of these antigen are not specific to H. pylori and also found in other bacteria such as C. jeuni and C. coli. A second problem that has been encountered in designing immunoassays for H. pylori is strain variation. Substantial differences in the antigens has been observed in different strains of H. pylori. These problems preclude designing an assay around the use of a single antigen. They also rule out the use of monoclonal antibodies. One approach that has been taken to improving the specificity and selectivity of antibody immunoassays for H. pylori has been to use a mixture of antigens from different H. pylori strains which mixture is enriched with certain antigen fragments. One ELISA which detects H. pylori antibodies in a blood sera is commercially available from Meridian Diagnostics. This assay uses a bacterial whole cell lysate as the antigen.

CLAIMS:

- 1. A process for the determination of H. pylori in a fecal specimen which comprises:
- (a) dispersing a <u>fecal</u> specimen suspected of carrying H. <u>pylori</u> in a sample diluent; diluent;
- (b) contacting the <u>fecal</u> specimen in the diluent with a first polyclonal antibody for H. pylori antigen to form a complex of the antibody and the antigen;
- (c) separating said specimen and said complex;
- (d) exposing the complex to a second polyclonal antibody for said antigen and a portion of the antibody reacting with said complex, one of said first and second

- antibody being bound to a solid carrier and the other being labelled with a detection agent; and
- (e) determining the amount of the labelled antibody and in turn determining the presence of H. pylori antigen in said fecal specimen.
- 5. The process of claim 1 wherein said polyclonal antibody is obtained by sensitizing an antibody-producing mammal with H. pylori cells.
- 6. The process of claim 4 wherein the sample diluent contains a protein selected from the group consisting of $\underline{\text{fecal}}$ bovine serum, normal goat serum, guinea pig serum, horse serum, casein, albumin, gelatin, and bovine serum albumin.
- 8. The process of claim 5 wherein the cells are cells from a plurality of H. <u>pylori</u> strains.
- 12. A process for the determination of H. pylori in a fecal specimen which comprises:
- (a) dispersing a <u>fecal</u> specimen suspected of carrying H. <u>pylori</u> in a sample diluent; diluent;
- (b) contacting the <u>fecal</u> specimen in the diluent with a first polyclonal antibody for H. <u>pylori</u> antigen bound to a solid carrier and a second labelled polyclonal antibody for H. pylori to form a complex of the antibodies and the antigen;
- (c) separating said specimen and said complex;
- (d) determining the amount of the labelled antibody and in turn determining the presence of H. pylori antigen in said fecal specimen.
- 13. A process for the determination of H. pylori in a fecal specimen which comprises:
- (a) dispersing a <u>fecal</u> specimen suspected of carrying H. <u>pylori</u> in a sample diluent; diluent;
- (b) contacting the <u>fecal</u> specimen in the diluent with a first polyclonal antibody for H. <u>pylori</u> antigen produced by a first antibody-producing species and bound to a solid carrier to form a complex of the antibody and the antigen;
- (c) separating said specimen and said complex;
- (d) contacting the antibody-antigen complex formed in step (b) with a primary polyclonal antibody for H. <u>pylori</u> antigen obtained from a second antibody-producing species to produce a antibody-antigen-antibody complex;
- (e) removing the primary antibody not present in the complex from step (d);
- (f) contacting the antibody-antigen-antibody complex formed in step (d) with a secondary antibody, said secondary antibody being an antibody for the second antibody-producing species, whereby said secondary antibody forms a complex with said antibody-antigen-antibody complex; and
- (g) determining the presence of H. pylori antigen in said fecal specimen.

Generate Collection

Print

Search Results - Record(s) 2 through 50 of 50 returned.

☐ 2. <u>20040077965</u> . 13 Nov 02. 22 Apr 04. Method for diagnosis of helicobacter pylori infection. Hubbard, Todd W., et al. 600/532; 422/84 73/23.3 A61B005/08 G01N033/497 G01N031/00.
☐ 3. 20040044197. 27 Jun 03. 04 Mar 04. Fluorinated photosensitizers related to chlorins and bacteriochlorins for photodynamic therapy. Pandey, Ravindra K., et al. 540/140; C09B047/04.
☐ 4. <u>20040023316</u> . 27 Apr 01. 05 Feb 04. New method for detecting acid-resistant microorganisms in the stool. Reiter, Christian, et al. 435/7.32; G01N033/554 G01N033/569.
5. 20040019505. 21 Jul 03. 29 Jan 04. Personalized health communication system. Bowman, Bradley R., et al. 705/2; G06F017/60.
☐ 6. <u>20030224401</u> . 19 Feb 03. 04 Dec 03. Proteins for helicobacter diagnosis. Barthold, Stephen, et al. 435/6; 435/227 435/252.3 435/320.1 435/69.3 435/7.32 530/388.26 536/23.2 C12Q001/68 G01N033/554 G01N033/569 C07H021/04 C12N009/78 C12P021/02 C12N001/21.
7. 20030148411. 22 Jan 03. 07 Aug 03. Method for detecting helicobacter pylori and heilmanii in fecal and salivary specimen and biopsy material. Armbruster, Franz Paul, et al. 435/7.32; G01N033/554 G01N033/569.
☐ 8. <u>20030124633</u> . 10 Jun 02. 03 Jul 03. Diagnostic methods. Kleimola, Vesa, et al. 435/7.32; G01N033/554 G01N033/569.
9. <u>20030124632</u> . 10 Jun 02. 03 Jul 03. Diagnostic methods. Kleimola, Vesa, et al. 435/7.32; G01N033/554 G01N033/569.
☐ 10. <u>20030109813</u> . 10 Dec 02. 12 Jun 03. Energy-activated targeted cancer therapy. Chen, James. 601/2; A61H001/00.
11. 20030104484. 31 Dec 02. 05 Jun 03. Materials and methods for detection and quantitation of an analyte. Cleaver, Brian D., et al. 435/7.1; G01N033/53.
12. 20020182600. 11 Apr 01. 05 Dec 02. Method for assaying biological and other constituents using synthetic nucleounits in lateral flow, liquid, and dry chemistry techniques. Smith, Jack V 435/6; C12Q001/68.
13. 20020160428. 26 Apr 02. 31 Oct 02. Quantitative non-instrumental immunoassay and device using coloured particles. Sundrehagen, Erling. 435/7.9; 435/287.2 G01N033/53 G01N033/542 C12M001/34.
14. 20020142291. 13 Apr 01. 03 Oct 02. Positive detection lateral-flow apparatus and method for small and large analytes. Bauer, Jeffrey S., et al. 435/5; 435/287.2 435/345 435/7.1 436/518 C12M001/34 G01N033/543 C12Q001/70 G01N033/53 C12M003/00 C12N005/06 C12N005/16.
15. 20020090660. 10 Jan 02. 11 Jul 02. Helicobacter pylori antigens in blood. Yi, Ching Sui A., et



(1) BUNDESREPUBLIK (2) Offenlegungsschrift ® DE 100 06 432 A 1

® Int. CL⁷: G 01 N 33/569

DEUTSCHES PATENT: UND

MARKENAMT

(a) Aktenzeichen: 2 Anmeldetag: (a) Offenlegungstag: 16. 8. 2001

100 06 432.9 14. 2.2000

(i) Erfinder:

100 06 432

(ii) Anmelder:

GANZIMMUN Institut für ganzheitliche Immunologie und Naturheilverfahren AG, 55128 Mainz, DE; Immundiagnostik AG, 64625 Bensheim,

Armbruster, Franz-Paul, Dr., 64625 Bensheim, DE; Crevar, Katarina, 64832 Babenhausen, DE; Ruppert, Jana, 64686 Lautertal, DE

(ii) Vertreter:

Benedum Haseltine Lake Partners, 81669 München

Die folgenden Angaben sind den vom Anmelder eingereichten Unterlagen entnommen

- (8) Verfahren zum Nachweis von Helicobacter pylori in Stuhl- und Speichelproben
- (ii) Verfahren und Testsystem zum Nachweis von Helicobacter und/oder Camphylobacter in Stuhl-, Speichel- und Sekretproben durch einen Doppelantikörper-Sandwich-Bindungsassay, wobei mindestens zwei verschiedene Pri-marantikörper eingesetzt werden, von denen der erste Helicobacter- oder Camphylobacter Antigen erkennt und der zweite menschliches Immunglobulin-A, bevorzugt se kretorisches Human-IgA und Human-IgA2. Der Setundärantikorper ist markiert, bspw. mit Biotin, Fluorescein, al-kalischer Phosphatase oder Meerrettichperoxidase. Der erste Primärantikörper ist bevorzugt eine Mischung verschiedener polykonaler Antikörper gegen unterschiedliche Helicobacter pylori-Stämme.

BUNDESDRUCKEREI 06.01 102 033/508/1

(12) NACH DEM YERTRAG ÜBER DIE INTERNATIONALE ZUSAMMENARBEIT AUF DEM GEBIET DES PATENTWESENS (PCT) YERÖFTENTLICHTE INTERNATIONALE ANMELDUNG

(19) Weltorganisation für geistiges Eigentum Internationales Büro





(U) Internationales Veröffentlichungsdatum 30. August 2001 (30.08.2001)

PCT

(10) Internationale Veröffentlichungsnummer WO 01/63285 A2

(51) Internationale Patentklassifikation*: GOIN 33/569 (74) Anwalt: BENEDUM, Ulrich, Max; Haseline Lake Part-

(21) Internationales Aktenzeichen:

PCT/EPOI/01639

ners, Rosenheimer Strasse 30, 81669 München (DE).

(81) Bestimmungsstaaten (national): AL, AM, AT, AU, AZ,

(22) Internationales Anneldedatum:

14. Februar 2001 (14.02.2001)

Deutsch

BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES. FL GB. GD. GE. GH. GM. HR. HU. ID. IL. IN. IS. JP. KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD,

MG, MK, MN, MW, MX, NO. NZ, PL, PT, RO, RU, SD. SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ,

(26) Veröffentlichungssprache: VN, YU, ZW.

Deutsch

(30) Augubeo zur Priorität:

(25) Einreichungssprache:

(71) Anneldes (für alle Bestimmungsstaaten mit Ausnahme yon US): IMMUNDIAGNOSTIK AG [DE/DE]; Wiesenstrasse 4, 64625 Bensheim (DE). GANZIMMUN AG [DEDE]; Institut für ganzheitliche dramunologie und Naturbe, eilverfahren, Hans-Böckler-Strasse 109, 55128

(84) Bestimmungsstaates (regional): ARIPO-Patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), eurasisches Patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), europäisches Patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI-Patent (BE, BJ, CF, CG, CL, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Veröffentlicht:

Mainz (DE). (72) Erfinder; and

(75) Erfinder; and
(75) Erfinder/Aumelder (nur für US): ARMBRUSTER, Franz, Paul [DE/DE]; Immundiagnostik AG, Wiesenstrasse 4, 64625 Bensheim (DE). CREVAR, Katarina Zur Erklärung der Zweibuchstaben-Codes, und der underen

 ohne internationalen Recherchenbericht und erneut zu veröffentlichen nach Erhalt des Berichts

[DEDE]; Breslaner Strasse 9, 64832 Babenhausen (DE). Abhirrangen wird auf die Erhlärungen ("Guidance Notes on RUPPERT, Jana [DE/DE]; Römerweg 3, 64682 Lautertal Codes and Abbreviations") am Anfang jeder regulären Ausgabe der PCT-Gazette verwiesen.

(\$4) THE: METHOD FOR DETECTING HELICORICTER PYLORI AND HELLMAND IN PECAL AND SALIVARY SPECIMEN
AND BIORSY MATERIAL AND BIOPSY MATERIAL

(54) Bezeichburg: VERFAHREN ZUM NACHWEIS VON HELICOBACTER PYLORI UND HELIMANII IN STUHL- UND SPEICHELPROBEN UND BIOPSIEMATERIAL

(57) Abstract: The invention relates to a method for detecting pathogenic organisms, especially Helicobacter pylori and H. heilmanii, in fecal, salivary and secretion specimen by a double antibody sandwich assay. The inventive method is characterized by a dissolving or dispersing the specimen together with a pathogetic antigen in a buffer solution and contacting the buffer solution with a solid phase to which at least two primary antibodies are bound, one of which specifically binds to the pathogenic antigen and the other to human immunoglobulin A; washing the solid phase of non-specifically bound proteins and contacting the solid phase with Was a secondary antibody that specifically binds to the pathogenic antigen; and determining the amount of specifically bound secondary antibody.

🎖 (57) Zusummen fassung: Verfehren zum Nachweis von krankheitserregenden Organismen, indresondere Helicobacier pylori und II. heilmanii, in Stahl-, Speichel- und Sekretproben durch einen Doppelanükärper-Sandwich Bindungsassay, gekennzeichnet durch Aufnehmen oder Dispergieren der Probe mit Erregerantigen in einer Pofferlösung und Zusammenbringen der Pofferlösung mit einer festen Phase, an der mindestens zwei primäre Antikörper gebunden sind, von denen einer Erregerantigen und der andere menschliches O Immunglobulin-A spezifisch bindet, Waschen der festen Phase von nicht spezifisch gebundenen Proteinen und Zusammenbringen der festen Plase mit einem sekundåren Annikörper, der spezifisch an Erregerantigen bindet, und Bestimmen der Menge an spezifisch gebenderen Sekundärnrikörper:

(12)特許協力条約に基づいて公開された国際出願







(43) 国際公開日 2002年11月7日 (07.11.2002)

PCT

(10)国際公開番号 WO 02/088737 A1

(51) 国際特許分類? GOIN 33/543, 33/569, 33/573 [JP/JP]: 〒103-8330 東京都中央区日本橋室町1丁目 5番3号わかもと製薬株式会社内 Tokyo (IP). (21) 国際出願番号: PCT/JP02404011

(22) 国際出願日: 2002年4月23日(23.04.2002)

(74) 代理人: 安富康男,外(YASUTOML,Yasao et al.); 〒 532-0011 大阪府大阪市 淀川区西中島5丁目4番

(25) 国際出願の言語:

20号中央ビルOsaka(IP).

(26) 国際公開の言語:

日本語

(81) 指定国(国内): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO,

(30) 優先権データ: 特置2001-124885 2001年4月23日(23.04.2001) JP

NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SI, TJ, TM, TN, TR, FT, TZ, UA, UG, US, UZ, VN, YU, ZA,

(71) 出版人(米国を除く全ての指定国について): わかもと 製薬株式会社 (WAKAMOTO PHARMACEUTICAL CO., LTD.) [JP/JP]; 〒103-8330 東京都中央区日本橋 (84) 指定国/広場); ARJPO 特許 (GH, GM, KE, LS, MW, 室町1丁目5番3号Tokyo(JP).

MZ, SD, SL, SZ, TZ, UG, ZM, ZW), ユーラシア特許 (AM, AZ, BY, KG, KZ, MD, RU, TI, TM), ヨーロッパ特 # (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI 特許 (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

🚃 (11) 発明者;および (75) 発明者(出願人/米国についてのみ): 中谷 兼吾 (NAKAYA,Seigo) [JP/JP]; 〒103-8330 東京都 中央区 日本構室町1丁目5番3号わかもと製業株式会 社内 Tokyo (IP), 佐藤 匡美 (SATO, Masami) [IP/IP] 添付公開書類: 〒103-2330 東京都中央区日本衛室町1丁目5番 - 国際調査報告書 3号わかもと製薬株式会社内 Tokyo (JP)、福山博文

03

(KAJIYAMA,Hirefami) (JP3)P) 〒103-8330 東京都中 2文字コード及び他の略語については、定規発行される 央区 日本橋室町1丁目5番3号 わかもと製薬株 各PCTガゼットの各頭に掲載されている「コードと略語 式会社内 Tokyo (JP). 平田 晴久 (HIRATA,Harebisa) のガイダンスノート」を参照。

(54) Tide: IMMUNOCHROMATOGRAPHIC TEST PIECE AND DIAGNOSIS KIT

(54) 発明の名称: イムノクロマトグラフィー試験片及び診断キット

(ST) Abstract: It is intended to provide an immunochromatographic test piece and a diagnosis kit whereby infection with Helicobacfer pylori can be judged at a high seasitivity with the use of feces as specimens. An immunochromatographic test piece comprising a laminate composed of a rectangular antibody immobilized substrate which has, on its bottom end, a support holding a colored latex 🔯 labeled-material and a liquid sample-absorbing support made of filter paper laminated thereon in the order from the bottom to the top, and on its top end, a water-absorbing support made of filter paper laminated thereon. In the antibody immobilized substrate, a monockwal andbody undergoing an antigen-authody reaction with native catalase of H. pylori is immobilized on a nurocellulsce sheet. In the support holding the colored later, particle labeled-material, nonwoven fabric is impregnated with a colored later, parti-Colabeled and-III. pylori antibody wherein a monocharal antibody undergoing an antigen-unithody reaction with resirve catalase of the pylori is numerical on colored lates particles.

[鉄葉有]

PATENTWESENS (PCT) VERÖFFENTLICHTE INTERNATIONALE ANMELDUNG (19) Weltorganisation für geistiges Eigentum Internationales Bitro (10) Internationale Veröffentlichungsnummer (43) Internationales Veröffentlichungsdatum 13. November 2003 (13.11.2003) WO 03/093818 A2 PCT (51) Internationale Patenthlassifikation': GMN 33/53 (74) Anwalt: SCHMITZ, Hans-Werner, Hoefer, Schmitz, Weber & Partner, Gabriel-Max-Str. 29, 81545 München (DE). (21) Laternationales Aktenzeichen: PCT/EP03/04571 (81) Bestimmungsstanten (national): BR, CA, CN, IP, US. (22) Internationales Anneldedatum: 30. April 2003 (30.04.2003) (84) Bestimmungsstaaten (regional): europäisches Palent (AI, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, (25) Einreichungssprache: Deutsch HU, IE, IT, LU, MC, NL, PT, RO, SE, SL, SK, TR). Deutsch Veröffentlicht: (26) Veröffentlichungssprache: - ohne internationalen Recherchenbericht und erneut zu ver-(30) Auguben zur Priorität: öffentlichen nach Erhalt des Berichts 102 19741.5 2. Mai 2002 (02.05.2002) DE Zur Erklärung der Zweibschstaben-Codes und der anderen Ab-(71) Anmelder und kürzungen wird auf die Erklärungen ("Guidance Notes on Co-(72) Erfinder: WENGLER, George [AT/AT], Fischhol 30. des and Abbreviations") om Anjang jeder regulären Ausgabe der A-4894 Oberhofen (AT). PCT-Gazette verwiesen. (SI) Title: METHOD FOR PRE-TREATING STOOL SAMPLES (54) Bezeichnung: VERFAHREN ZUR VORBEHANDLUNG VON STUHLPROBEN (57) Abstract: The invention relates to a method for pre-treating stool samples, whereby Helicobector pytori antigens are separated from bonds comprising endogenous antibodies. Said pre-treatment is carried out before the assay of Helicobector pybori antigens in the stool, using immunological techniques. (57) Zusammenfassang: Die Erfindung betrifft ein Verfahren zur Worbehandlung von Stuhkproben, um H.pylori-Antigene aus Bin-

(12) NACH DEM VERTRAG ÜBER DIE INTERNATIONALE ZUSAMMENARBEIT AUF DEM GEBIET DES

dungen mit endogenen Antikörpern abzuspellen, webei besagte Vorbehandlung vor der Untersorbung auf Haybori-Antigene im Sohil mittels immunologischer Techniken durchgeführt wird.

Record Display Form Page 1 of 1

First Hit Fwd Refs

L10: Entry 35 of 50 File: USPT Nov 17, 1998

DOCUMENT-IDENTIFIER: US 5837240 A

TITLE: Multimeric, recombinant urease vaccine

Drawing Description Text (8):

FIGS. 5A, 5B and 5C are graphs showing the bacterial score versus the levels of serum IgA, serum IgG, and <u>fecal</u> IgA <u>antibodies</u> from mice immunized with recombinant H. pylori urease and cholera toxin (CT).

Drawing Description Text (9):

FIGS. 6A, 6B, 6C and 6D are graphs showing the bacterial score versus the levels of serum IgA, serum IgG, and <u>fecal</u> IgA <u>antibodies</u> from mice immunized with recombinant H. pylori urease and enterotoxigenic E. coli heat-labile toxin.

Detailed Description Text (56):

The effect of immunization route upon the anti-urease antibody response was examined in mice. Swiss-Webster m ice were immunized four times at ten day intervals with either: 1) 200 .mu.g recombinant purified H. pylori urease with 10 .mu.q CT, either with or without NaHCO.sub.3, by oral administration; 2) 200 .mu.g recombinant purified H. pylori urease and 10 .mu.g CT with NaHCO.sub.3, by by intragastric administration; or 3) 10 .mu.g recombinant purified H. pylori urease with Freund's adjuvant by subcutaneous administration. One week after the fourth vaccine dose, mucosal and serum antibody responses were examined by ELISA using microtiter plates coated with 0.5 .mu.g of native H. pylori urease. Serum samples were diluted 1:100 and assayed for urease-specific IgA and IgG. Fresh fecal pellets, extracted with a protease inhibitor buffer (PBS containing 5% non-fat dry milk, 0.2 .mu.g AEBSF, 1 .mu.g aprotinin per ml, and 10 .mu.M leupeptin), were examined for <u>fecal</u> anti-urease IgA <u>antibody</u>. In some experiments, <u>fecal antibody</u> values were normalized for total IgA content determined by ELISA, with ureasespecific fecal IgA expressed in A.sub.405 units/mg total IgA in each sample. Saliva samples were collected after stimulation with pilocarpine under ketamine anesthesia, and tested for urease-specific IgA at a dilution of 1:5.

Detailed Description Text (97):

The role of anti-urease antibodies in Helicobacter therapy, i.e., the clearance of H. felis from infected mice, was examined by first infecting Balb/c mice with 10.sup.7 H. felis. Four weeks after infection, the mice were orally immunized with 200 .mu.g recombinant urease plus 10 .mu.g CT. Control mice were given 10 .mu.g CT only. Antigen was administered 4 times at one week intervals. Animals were sacrificed 4 and 10 weeks after the last immunization, and serum and fecal samples were collected for ELISA.

First Hit

L10: Entry 41 of 50

File: JPAB

Nov 22, 2002

DOCUMENT-IDENTIFIER: JP 2002333447 A

TITLE: INSPECTION METHOD FOR DETERMINING INFECTION TO HELICOBACTER PYLORI

Abstract Text (2):

SOLUTION: The inspection method comprises determining the infection to Helicobacter pylori present in an alimentary canal excrement with a monoclonal antibody for the native catalase of Helicobacter pylori. The monoclonal antibody is the one produced by hybridoma 31A3 (FERM P-18329) and/or hybridoma 82A3 (FERM P-18328).

WEST Search History

Hide Items Restore Clear Cancel

DATE: Thursday, May 27, 2004

Hide?	Set	Ouerv	<u>Hit</u>
mue:	<u>Name</u>	Query	Count
	DB=U	SPT; PLUR=YES; OP=AND	
	L1	(fecal or feaces or faeces or feces or excrement or (intestinal near2 contents) or (gastric near2 contents) or waste).ti,ab,clm.	35121
's Aller	L2	L1 and (pylori or helicobacter or pyloris or pyloridis or pylor or pyloris or hpylori or h-pylori or pylorum).ti,ab,clm.	. 8
	DB=P	GPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=AND	
	L3	(fecal or feaces or faeces or feces or excrement or (intestinal near2 contents) or (gastric near2 contents) or waste).ti,ab,clm.	379549
Try W	L4	L3 and (pylori or helicobacter or pyloris or pyloridis or pylor or pyloris or hpylori or h-pylori or pylorum).ti,ab,clm.	48
	DB=U	SPT; PLUR=YES; OP=AND	
	L5	(l2 or l4) and (hybridoma or hybrid-oma or monoclonal or mono-clonal or clonal or moab or mab or scfv or humanized)	3

END OF SEARCH HISTORY



gelatin (jel ' a -tin)

A derived protein formed from the collagen of tissues by boiling in water; it swells up when put in cold water, but dissolves only in hot water; used as a hemostat, plasma substitute, and protein food adjunct in malnutrition.

[L. gelo, pp. gelatus, to freeze, congeal]



Generate Collection Print

Search Results - Record(s) 1 through 12 of 12 returned.		
1. <u>RE38088</u> . 08 Feb 00; 22 Apr 03. Immunoassay for H. <u>Pylori in fecal</u> specimens. Larka; hristopher Vance, et al. 435/7.32; 435/12 435/252.1 435/6 436/66. G01N033/554 G01N033/569.		
2. <u>5932430</u> . 10 Mar 98; 03 Aug 99. Immunoassay for H. <u>pylori in fecal</u> specimens. Larka; ristopher Vance, et al. 435/7.32; 435/12 435/252.1 435/7.21 436/66. G01N033/554 G01N033/569.		
3. <u>5871942</u> . 21 Jul 97; 16 Feb 99. Immunoassay for H. <u>pylori in fecal</u> specimens. Larka; Christopher Vance, et al. 435/7.32; 435/252.1. G01N033/554 G01N033/569.		
4. <u>5716791</u> . 09 May 96; 10 Feb 98. Immunoassay for H. <u>pylori in fecal</u> specimens. Larka; Christopher Vance, et al. 435/7.32; 435/12 436/66. G01N033/554 G01N033/569.		
5. <u>JP410010128A</u> . 17 Mar 97. 16 Jan 98. IMMUNOASSAY OF H. PYLORIC BACTERIUM IN EXCREMENT SAMPLE. LARKA, CHRISTOPHER VANCE, et al. G01N033/569;.		
6. <u>EP001156331A1</u> . 06 Apr 01. 21 Nov 01. Immunoassay for H. <u>Pylori in fecal</u> specimens using genus specific monoclonal antibody. KOZAK, KENNETH JAMES. G01N033/569; G01N033/554.		
7. <u>EP000806667A1</u> . 08 May 97. 12 Nov 97. Immunoassay for h. <u>pylori in fecal specimens</u> . LARKA, CHRISTOPHER VANCE, et al. G01N033/569; G01N033/541 G01N033/535 A61K039/106.		
8. <u>EP 1156331A</u> . Determination of <u>Helicobacter pylori in fecal</u> specimen, comprises using a genu specific monoclonal antibody to <u>Helicobacter</u> or Camplobacter and H. <u>pylori</u> specific antibodies. KOZAK, K J. G01N033/554 G01N033/569.		
9. WO 200140801A. Diagnosing and treating an infant exhibiting or suffering from colic comprises testing and treating for infection with <u>Helicobacter pylori</u> . WILLIS, D H. G01N033/569.		
10. <u>US 5932430A</u> . Immunoassay for <u>Helicobacter pylori in fecal</u> specimens. KOZAK, K J, et al. G01N033/554 G01N033/569.		
11. <u>US 5871942A</u> . A process for detecting the presence of <u>Helicobacter pylori in faecal</u> samples which comprises collecting a smear of a <u>faeces</u> on a substrate and contacting the smear with polyclonal antibodies. KOZAK, K J, et al. G01N033/554 G01N033/569.		
☐ 12. <u>EP 806667A</u> . Detection of <u>Helicobacter pylori</u> - by immunoassay for H. <u>pylori</u> antigen in <u>faecal</u> samples. KOZAK, K J, et al. A61K039/106 G01N033/53 G01N033/535 G01N033/541 G01N033/543 G01N033/554 G01N033/569.		
Generate Collection Print		
Terms Documents		
L2 and (pylori or helicobacter or pylroi or pylrois or pyloris or		

pylorum or pyloridis or hpylori)

Prev Page Next Page Go to Doc#

First Hit

Generate Collection

L3: Entry 11 of 12

File: DWPI

Feb 16, 1999

DERWENT-ACC-NO: 1999-166634

DERWENT-WEEK: 199938

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: A process for detecting the presence of Helicobacter pylori in faecal samples

samples - which comprises collecting a smear of a faeces on a substrate and

contacting the smear with polyclonal antibodies

INVENTOR: KOZAK, K J; LARKA, C V ; YI, C S A

PRIORITY-DATA: 1997US-0897732 (July 21, 1997), 1996US-0647115 (May 9, 1996)

Search Selected Search ALL Clear

PATENT-FAMILY:

PUB-NO

PUB-DATE

LANGUAGE

PAGES

MAIN-IPC

US 5871942 A

February 16, 1999

007

G01N033/554

INT-CL (IPC): G01 N 33/554; G01 N 33/569

Generate Collection

Print

Search Results - Record(s) 2 through 50 of 50 returned.

Bearen Results - Record(s) 2 into agn 30 0130 Total ned.
2. <u>20040077965</u> . 13 Nov 02. 22 Apr 04. Method for diagnosis of helicobacter pylori infection. Hubbard, Todd W., et al. 600/532; 422/84 73/23.3 A61B005/08 G01N033/497 G01N031/00.
☐ 3. 20040044197. 27 Jun 03. 04 Mar 04. Fluorinated photosensitizers related to chlorins and bacteriochlorins for photodynamic therapy. Pandey, Ravindra K., et al. 540/140; C09B047/04.
☐ 4. 20040023316. 27 Apr 01. 05 Feb 04. New method for detecting acid-resistant microorganisms in the stool. Reiter, Christian, et al. 435/7.32; G01N033/554 G01N033/569.
5. 20040019505. 21 Jul 03. 29 Jan 04. Personalized health communication system. Bowman, Bradley R., et al. 705/2; G06F017/60.
6. <u>20030224401</u> . 19 Feb 03. 04 Dec 03. Proteins for helicobacter diagnosis. Barthold, Stephen, et al. 435/6; 435/227 435/252.3 435/320.1 435/69.3 435/7.32 530/388.26 536/23.2 C12Q001/68 G01N033/554 G01N033/569 C07H021/04 C12N009/78 C12P021/02 C12N001/21.
☐ 7. 20030148411. 22 Jan 03. 07 Aug 03. Method for detecting helicobacter pylori and heilmanii in fecal and salivary specimen and biopsy material. Armbruster, Franz Paul, et al. 435/7.32; G01N033/554 G01N033/569.
8. <u>20030124633</u> . 10 Jun 02. 03 Jul 03. Diagnostic methods. Kleimola, Vesa, et al. 435/7.32; G01N033/554 G01N033/569.
9. 20030124632. 10 Jun 02. 03 Jul 03. Diagnostic methods. Kleimola, Vesa, et al. 435/7.32; G01N033/554 G01N033/569.
☐ 10. 20030109813. 10 Dec 02. 12 Jun 03. Energy-activated targeted cancer therapy. Chen, James. 601/2; A61H001/00.
11. 20030104484. 31 Dec 02. 05 Jun 03. Materials and methods for detection and quantitation of an analyte. Cleaver, Brian D., et al. 435/7.1; G01N033/53.
12. 20020182600. 11 Apr 01. 05 Dec 02. Method for assaying biological and other constituents using synthetic nucleounits in lateral flow, liquid, and dry chemistry techniques. Smith, Jack V 435/6; C12Q001/68.
☐ 13. <u>20020160428</u> . 26 Apr 02. 31 Oct 02. Quantitative non-instrumental immunoassay and device using coloured particles. Sundrehagen, Erling. 435/7.9; 435/287.2 G01N033/53 G01N033/542 C12M001/34.
☐ 14. <u>20020142291</u> . 13 Apr 01. 03 Oct 02. Positive detection lateral-flow apparatus and method for small and large analytes. Bauer, Jeffrey S., et al. 435/5; 435/287.2 435/345 435/7.1 436/518 C12M001/34 G01N033/543 C12Q001/70 G01N033/53 C12M003/00 C12N005/06 C12N005/16.
☐ 15. 20020090660. 10 Jan 02. 11 Jul 02. Helicobacter pylori antigens in blood. Yi, Ching Sui A., et

al. 435/7.32; G01N033/554 G01N033/569.
☐ 16. 20020087205. 13 Jul 01. 04 Jul 02. Transcutaneous photodynamic treatment of targeted cells. Chen, James. 607/88; 606/9 A61B018/18 A61N001/00.
17. <u>6699722</u> . 13 Apr 01; 02 Mar 04. Positive detection lateral-flow apparatus and method for small and large analytes. Bauer; Jeffrey S., et al. 436/518; 422/56 422/57 435/7.1 435/7.92 436/514 436/541. G01N033/543.
18. <u>6555390</u> . 10 May 99; 29 Apr 03. Chromatographic assay or test device. Chandler; Howard Milne. 436/518; 422/56 422/58 422/61 435/287.1 435/287.2 435/287.7 435/287.8 435/287.9 435/4 435/7.1 435/803 435/805 435/810 435/970 436/169 436/501 436/514 436/524 436/527 436/528 436/530 436/538 436/541 436/807 436/810 436/814 436/823. G01N033/543.
19. <u>6544772</u> . 08 Aug 00; 08 Apr 03. Polynucleotides, materials incorporating them, and methods for using them. Glenn; Matthew, et al. 435/252.3; 435/320.1 536/23.7. C12N001/21 C12N015/63 C12N015/31.
20. <u>6528321</u> . 26 Jun 00; 04 Mar 03. Opposable-element chromatographic assay device for detection of analytes in whole blood samples. Fitzgerald; Daniel, et al. 436/514; 422/55 422/56 422/58 422/61 435/287.1 435/287.9 435/805 435/810 435/962 435/970 436/169 436/174 436/518 436/524 436/525 436/528 436/531 436/805 436/810. G01N033/53.
21. <u>6500629</u> . 13 Sep 00; 31 Dec 02. Materials and methods for detection and quantitation of an analyte. Cleaver; Brian D., et al. 435/7.92; 422/101 422/102 422/55 422/56 422/57 422/58 422/59 422/60 422/61 422/70 435/188 435/28 435/4 435/5 435/6 435/7.1 435/7.21 435/810 436/507 436/513 436/518 436/531 436/548 436/808 436/810 436/814 436/818 436/826 530/300 530/350 536/23.4 53 6/23.7. G01N033/53.
22. <u>6476209</u> . 28 Nov 00; 05 Nov 02. Polynucleotides, materials incorporating them, and methods for using them. Glenn; Matthew, et al. 536/23.1; 435/6 435/91.1 530/200 536/22.1. C07H021/02 C07H021/04 C12Q001/68 C12P019/34.
23. <u>6365198</u> . 28 Jan 01; 02 Apr 02. Pharmaceutical preparation for the treatment of gastrointestinal ulcers and hemorrhoids. Niazi; Sarfaraz K 424/725;. A01K065/00 A61K035/78.
24. <u>6248551</u> . 23 Feb 98; 19 Jun 01. Helicobacter aliphatic amidase AmiE polypeptides, and DNA sequences encoding those polypeptides. De Reuse; Hilde, et al. 435/18; 435/106 435/228 435/32 435/6 514/2 530/344 530/350. A61K039/02.
25. <u>6107464</u> . 06 Oct 99; 22 Aug 00. iceA gene and related methods. Miller; Geraldine G., et al. 530/350; 424/185.1. C07K001/00 C07K014/00.
26. <u>6017767</u> . 05 Jun 95; 25 Jan 00. Assay device. Chandler; Howard M 436/514; 422/56 422/57 422/58 422/61 435/287.7 435/287.9 435/288.4 435/288.5 435/7.1 435/7.2 435/7.9 435/7.93 435/7.94 435/7.95 435/969 435/970 435/973 436/518 436/524 436/807 436/809 436/810. G01N033/558 G01N033/543.
27. <u>6004354</u> . 15 Apr 98; 21 Dec 99. IceA gene and related methods. Miller; Geraldine G., et al. 435/6; 435/7.32 514/44. C12N015/00.

28. <u>5998220</u> . 10 Feb 94; 07 Dec 99. Opposable-element assay devices, kits, and methods employing them. Chandler; Howard M 436/514; 422/55 422/56 422/58 422/61 435/287.1 435/287.2 435/287.7 435/287.8 435/287.9 435/288.5 435/7.92 435/7.93 435/7.94 435/805 435/810 435/970 435/973 435/975 436/164 436/169 436/518 436/530 436/807 436/808 436/810. G01N033/558.
29. <u>5965458</u> . 09 Apr 97; 12 Oct 99. Test strip, its production and use. Kouvonen; Ilkka Sakari, et al. 436/518; 422/56 422/57 422/58 435/287.1 435/287.2 435/287.7 435/287.9 435/7.32 435/7.35 435/805 435/810 435/970 435/973 436/169 436/510 436/514 436/530 436/531 436/533 436/534 436/536 436/65 436/805 436/810 436/818. G01N033/543 G01N033/558.
30. <u>5939252</u> . 09 May 97; 17 Aug 99. Detachable-element assay device. Lennon; Donald J., et al. 435/4; 422/58 435/7.1 435/7.2 435/7.32 435/7.34 435/7.92 435/7.93 435/7.94 435/7.95 435/970 435/975 436/518 436/525 436/807 436/808 436/825. C12Q001/00 G01N033/543.
31. <u>5919463</u> . 16 Oct 95; 06 Jul 99. Clostridium difficle toxins as mucosal adjuvants. Thomas, Jr.; William D., et al. 424/239.1; 424/184.1 424/192.1 424/234.1 424/236.1 424/247.1 424/278.1 424/94.6 514/2 530/300 530/350 530/825. A61K039/08 A61K038/46.
☐ 32. <u>5877028</u> . 31 Mar 93; 02 Mar 99. Immunochromatographic assay device. Chandler; Howard M., et al. 436/514; 422/56 422/58 422/60 435/287.1 435/287.2 435/287.7 435/287.9 435/7.92 435/7.93 435/7.94 435/7.95 435/805 435/810 435/970 435/975 436/169 436/501 436/518 436/805 436/810. G01N033/558.
33. <u>5869345</u> . 02 Jun 95; 09 Feb 99. Opposable-element assay device employing conductive barrier. Chandler; Howard M 436/514; 422/55 422/56 422/57 422/58 435/287.1 435/287.2 435/287.7 435/287.8 435/287.9 435/288.3 435/288.4 435/805 435/810 435/970 435/973 435/975 436/164 436/169 436/518 436/530 436/536 436/538 436/541 436/805 436/808 436/810. G01N033/543 G01N033/558.
☐ 34. <u>5846838</u> . 18 Jun 97; 08 Dec 98. Opposable-element assay device employing conductive barrier. Chandler; Howard M 436/514; 422/55 422/56 422/57 422/58 435/287.1 435/287.2 435/287.7 435/287.8 435/287.9 435/805 435/810 435/970 435/973 435/975 436/169 436/518 436/530 436/805 436/808 436/810. G01N033/558 G01N033/543.
☐ 35. <u>5837240</u> . 26 Aug 97; 17 Nov 98. Multimeric, recombinant urease vaccine. Lee; Cynthia K., et al. 424/94.6; 424/234.1 435/227 514/925 514/926 514/927. A61K038/46 A61K039/02 A61K039/106.
☐ 36. <u>5780278</u> . 20 May 96; 14 Jul 98. IceA gene and related methods. Miller; Geraldine G., et al. 536/23.7; 435/6. C12N015/00.
37. <u>5712170</u> . 14 Nov 94; 27 Jan 98. Test strip, its production and use. Kouvonen; Ilkka Sakari, et al. 436/518; 422/56 422/57 422/58 435/287.1 435/287.2 435/287.7 435/287.9 435/4 435/805 435/810 435/970 435/971 435/973 436/169 436/510 436/514 436/528 436/531 436/805 436/810. G01N033/543 G01N033/558.
38. <u>5607863</u> . 07 Dec 93; 04 Mar 97. Barrier-controlled assay device. Chandler; Howard M 436/518; 422/104 422/56 422/57 422/58 422/61 435/7.92 435/7.93 435/7.94 435/805 435/969 435/970 436/165 436/170 436/514 436/810. G01N033/543 G01N033/558.
☐ 39. <u>5468648</u> . 07 Dec 93; 21 Nov 95. Interrupted-flow assay device. Chandler; Howard M 436/518; 422/58 422/60 435/7.1 435/7.92 435/7.93 435/7.94 435/7.95 435/970 435/973 435/974

436/514 436/525 436/530 436/538 436/540 436/807 436/810. G01N033/543.
40. <u>5459041</u> . 18 Feb 88; 17 Oct 95. Campylobacter pylori antigens and uses thereof for detection of Campylobacter pylori infection. Blaser; Martin J., et al. 435/7.21; 435/7.3 435/7.92 435/7.93 435/7.94 435/7.95 435/961 435/974 435/975 436/518 436/527 436/528 436/529 436/531 436/533 436/547 436/804 530/350 530/413 530/806 530/810 530/825. G01N033/53.
41. <u>JP02002333447A</u> . 10 May 01. 22 Nov 02. INSPECTION METHOD FOR DETERMINING INFECTION TO HELICOBACTER PYLORI. WAKASUGI, MASAHIKO, et al. G01N033/573; C07K016/40 C12N005/10 G01N033/569 G01N033/577.
42. WO003093818A2. 30 Apr 03. 13 Nov 03. METHOD FOR PRE-TREATING STOOL SAMPLES. WENGLER, GEORGE. G01N033/53;.
43. WO002088737A1. 23 Apr 02. 07 Nov 02. IMMUNOCHROMATOGRAPHIC TEST PIECE AND DIAGNOSIS KIT. NAKAYA, SEIGO, et al. G01N033/543; G01N033/569 G01N033/573.
44. WO000163285A2. 14 Feb 01. 30 Aug 01. METHOD FOR DETECTING <i>HELICOBACTER PYLORI</i> AND <i>HEILMANII</i> IN FECAL AND SALIVARY SPECIMEN AND BIOPSY MATERIAL. ARMBRUSTER, FRANZ PAUL, et al. G01N033/569;.
45. DE 10219741A. Pretreating <u>fecal</u> samples, useful for detecting <u>Helicobacter pylori</u> antigens, by releasing antigens from endogenous <u>antibodies</u> , to allow their immunochemical detection. WENGLER, G S, et al. C12Q001/04 G01N001/28 G01N033/53 G01N033/569.
46. WO2002102842A. Novel immunogenic Helicobacter species surface protein useful as diagnostic antigens in immunodiagnostic tests e.g. for diagnosing liver, bile tract pancreas and inflammatory bowel disease in humans and animals. LJUNG, A, et al. C07K014/195 C07K014/205 G01N033/569.
47. <u>US20020182600A</u> . Detecting an analyte e.g. cocaine involves conjugating the nucleounits to indicator for the analyte forming nucleounit indicator conjugate and detecting the analyte of interest using the nucleounit indicator conjugate in a buffer. SMITH, J V. C12Q001/68.
48. WO 200288737A. Immunochromatographic test pieces with antibody on laminate for color reaction in kits for detecting Helicobacter pylori infection using feces as specimen e.g. in diagnosis of gastric or duodenal ulcer, chronic gastritis or stomach cancer. HIRATA, H, et al. G01N033/543 G01N033/569 G01N033/573.
49. DE 10006432A. Method for detecting microbial antigens in feces and saliva, useful for diagnosis and monitoring of Helicobacter pylori infection, by double-antibody sandwich assay. ARMBRUSTER, F P, et al. G01N033/541 G01N033/543 G01N033/554 G01N033/569 G01N033/577 G01N033/58.
50. <u>US 5607863A</u> . Chromatographic device for specific binding assay - uses a barrier, having an aperture, to control delivery of sample and reagent, provides improved accuracy and precision. CHANDLER, H M. A61K000/00 G01N033/532 G01N033/543 G01N033/558 G01N033/58.
Generate Collection Print

Terms	Documents
L8 same (hybridoma or monoclonal or mono-clonal or moab or mab	50
or m-ab or mo-ab or antibodies or antibody)	

Prev Page Next Page Go to Doc#

Generate Collection

Print

Search Results - Record(s) 2 through 50 of 50 returned.

· · · · · · · · · · · · · · · · · · ·
☐ 2. <u>20040077965</u> . 13 Nov 02. 22 Apr 04. Method for diagnosis of helicobacter pylori infection. Hubbard, Todd W., et al. 600/532; 422/84 73/23.3 A61B005/08 G01N033/497 G01N031/00.
☐ 3. 20040044197. 27 Jun 03. 04 Mar 04. Fluorinated photosensitizers related to chlorins and bacteriochlorins for photodynamic therapy. Pandey, Ravindra K., et al. 540/140; C09B047/04.
4. 20040023316. 27 Apr 01. 05 Feb 04. New method for detecting acid-resistant microorganisms in the stool. Reiter, Christian, et al. 435/7.32; G01N033/554 G01N033/569.
☐ 5. 20040019505. 21 Jul 03. 29 Jan 04. Personalized health communication system. Bowman, Bradley R., et al. 705/2; G06F017/60.
☐ 6. <u>20030224401</u> . 19 Feb 03. 04 Dec 03. Proteins for helicobacter diagnosis. Barthold, Stephen, et al. 435/6; 435/227 435/252.3 435/320.1 435/69.3 435/7.32 530/388.26 536/23.2 C12Q001/68 G01N033/554 G01N033/569 C07H021/04 C12N009/78 C12P021/02 C12N001/21.
7. 20030148411. 22 Jan 03. 07 Aug 03. Method for detecting helicobacter pylori and heilmanii in fecal and salivary specimen and biopsy material. Armbruster, Franz Paul, et al. 435/7.32; G01N033/554 G01N033/569.
□ 8. <u>20030124633</u> . 10 Jun 02. 03 Jul 03. Diagnostic methods. Kleimola, Vesa, et al. 435/7.32; G01N033/554 G01N033/569.
9. <u>20030124632</u> . 10 Jun 02. 03 Jul 03. Diagnostic methods. Kleimola, Vesa, et al. 435/7.32; G01N033/554 G01N033/569.
☐ 10. 20030109813. 10 Dec 02. 12 Jun 03. Energy-activated targeted cancer therapy. Chen, James. 601/2; A61H001/00.
11. 20030104484. 31 Dec 02. 05 Jun 03. Materials and methods for detection and quantitation of an analyte. Cleaver, Brian D., et al. 435/7.1; G01N033/53.
12. 20020182600. 11 Apr 01. 05 Dec 02. Method for assaying biological and other constituents using synthetic nucleounits in lateral flow, liquid, and dry chemistry techniques. Smith, Jack V 435/6; C12Q001/68.
☐ 13. 20020160428. 26 Apr 02. 31 Oct 02. Quantitative non-instrumental immunoassay and device using coloured particles. Sundrehagen, Erling. 435/7.9; 435/287.2 G01N033/53 G01N033/542 C12M001/34.
14. 20020142291. 13 Apr 01. 03 Oct 02. Positive detection lateral-flow apparatus and method for small and large analytes. Bauer, Jeffrey S., et al. 435/5; 435/287.2 435/345 435/7.1 436/518 C12M001/34 G01N033/543 C12Q001/70 G01N033/53 C12M003/00 C12N005/06 C12N005/16.
15. 20020090660, 10 Jan 02. 11 Jul 02. Helicobacter pylori antigens in blood. Yi. Ching Sui A et

al. 435/7.32; G01N033/554 G01N033/569.
☐ 16. 20020087205. 13 Jul 01. 04 Jul 02. Transcutaneous photodynamic treatment of targeted cells. Chen, James. 607/88; 606/9 A61B018/18 A61N001/00.
17. <u>6699722</u> . 13 Apr 01; 02 Mar 04. Positive detection lateral-flow apparatus and method for small and large analytes. Bauer; Jeffrey S., et al. 436/518; 422/56 422/57 435/7.1 435/7.92 436/514 436/541. G01N033/543.
☐ 18. <u>6555390</u> . 10 May 99; 29 Apr 03. Chromatographic assay or test device. Chandler; Howard Milne. 436/518; 422/56 422/58 422/61 435/287.1 435/287.2 435/287.7 435/287.8 435/287.9 435/4 435/7.1 435/803 435/805 435/810 435/970 436/169 436/501 436/514 436/524 436/527 436/528 436/530 436/538 436/541 436/807 436/810 436/814 436/823. G01N033/543.
☐ 19. <u>6544772</u> . 08 Aug 00; 08 Apr 03. Polynucleotides, materials incorporating them, and methods for using them. Glenn; Matthew, et al. 435/252.3; 435/320.1 536/23.7. C12N001/21 C12N015/63 C12N015/31.
20. <u>6528321</u> . 26 Jun 00; 04 Mar 03. Opposable-element chromatographic assay device for detection of analytes in whole blood samples. Fitzgerald; Daniel, et al. 436/514; 422/55 422/56 422/58 422/61 435/287.1 435/287.9 435/805 435/810 435/962 435/970 436/169 436/174 436/518 436/524 436/525 436/528 436/531 436/805 436/810. G01N033/53.
21. <u>6500629</u> . 13 Sep 00; 31 Dec 02. Materials and methods for detection and quantitation of an analyte. Cleaver; Brian D., et al. 435/7.92; 422/101 422/102 422/55 422/56 422/57 422/58 422/59 422/60 422/61 422/70 435/188 435/28 435/4 435/5 435/6 435/7.1 435/7.21 435/810 436/507 436/513 436/518 436/531 436/548 436/808 436/810 436/814 436/818 436/826 530/300 530/350 536/23.4 53 6/23.7. G01N033/53.
☐ 22. <u>6476209</u> . 28 Nov 00; 05 Nov 02. Polynucleotides, materials incorporating them, and methods for using them. Glenn; Matthew, et al. 536/23.1; 435/6 435/91.1 530/200 536/22.1. C07H021/02 C07H021/04 C12Q001/68 C12P019/34.
23. <u>6365198</u> . 28 Jan 01; 02 Apr 02. Pharmaceutical preparation for the treatment of gastrointestinal ulcers and hemorrhoids. Niazi; Sarfaraz K 424/725;. A01K065/00 A61K035/78.
24. <u>6248551</u> . 23 Feb 98; 19 Jun 01. Helicobacter aliphatic amidase AmiE polypeptides, and DNA sequences encoding those polypeptides. De Reuse; Hilde, et al. 435/18; 435/106 435/228 435/32 435/6 514/2 530/344 530/350. A61K039/02.
25. <u>6107464</u> . 06 Oct 99; 22 Aug 00. iceA gene and related methods. Miller; Geraldine G., et al. 530/350; 424/185.1. C07K001/00 C07K014/00.
26. 6017767. 05 Jun 95; 25 Jan 00. Assay device. Chandler; Howard M 436/514; 422/56 422/57 422/58 422/61 435/287.7 435/287.9 435/288.4 435/288.5 435/7.1 435/7.2 435/7.9 435/7.93 435/7.94 435/7.95 435/969 435/970 435/973 436/518 436/524 436/807 436/809 436/810. G01N033/558 G01N033/543.
27. <u>6004354</u> . 15 Apr 98; 21 Dec 99. IceA gene and related methods. Miller; Geraldine G., et al. 435/6; 435/7.32 514/44. C12N015/00.

28. <u>5998220</u>. 10 Feb 94; 07 Dec 99. Opposable-element assay devices, kits, and methods employing them. Chandler; Howard M. 436/514; 422/55 422/56 422/58 422/61 435/287.1 435/287.2 435/287.7 435/287.8 435/287.9 435/288.5 435/7.92 435/7.93 435/7.94 435/805 435/810 435/970 435/973 435/975 436/164 436/169 436/518 436/530 436/807 436/808 436/810. G01N033/558. 29. <u>5965458</u>. 09 Apr 97; 12 Oct 99. Test strip, its production and use. Kouvonen; Ilkka Sakari, et al. 436/518; 422/56 422/57 422/58 435/287.1 435/287.2 435/287.7 435/287.9 435/7.32 435/7.35 435/805 435/810 435/970 435/973 436/169 436/510 436/514 436/530 436/531 436/533 436/534 436/536 436/65 436/805 436/810 436/818. G01N033/543 G01N033/558. 30. <u>5939252</u>. 09 May 97; 17 Aug 99. Detachable-element assay device. Lennon; Donald J., et al. 435/4; 422/58 435/7.1 435/7.2 435/7.32 435/7.34 435/7.92 435/7.93 435/7.94 435/7.95 435/970 435/975 436/518 436/525 436/807 436/808 436/825. C12Q001/00 G01N033/543. 31. <u>5919463</u>. 16 Oct 95; 06 Jul 99. Clostridium difficle toxins as mucosal adjuvants. Thomas, Jr.; William D., et al. 424/239.1; 424/184.1 424/192.1 424/234.1 424/236.1 424/247.1 424/278.1 424/94.6 514/2 530/300 530/350 530/825. A61K039/08 A61K038/46. 32. <u>5877028</u>. 31 Mar 93; 02 Mar 99. Immunochromatographic assay device. Chandler; Howard M., et al. 436/514; 422/56 422/58 422/60 435/287.1 435/287.2 435/287.7 435/287.9 435/7.92 435/7.93 435/7.94 435/7.95 435/805 435/810 435/970 435/975 436/169 436/501 436/518 436/805 436/810. G01N033/558. 33. <u>5869345</u>. 02 Jun 95; 09 Feb 99. Opposable-element assay device employing conductive barrier. Chandler; Howard M., 436/514; 422/55 422/56 422/57 422/58 435/287.1 435/287.2 435/287.7 435/287.8 435/287.9 435/288.3 435/288.4 435/805 435/810 435/970 435/973 435/975 436/164 436/169 436/518 436/530 436/536 436/538 436/541 436/805 436/808 436/810. G01N033/543 G01N033/558. 34. <u>5846838</u>. 18 Jun 97; 08 Dec 98. Opposable-element assay device employing conductive barrier. Chandler; Howard M., 436/514; 422/55 422/56 422/57 422/58 435/287,1 435/287,2 435/287,7 435/287.8 435/287.9 435/805 435/810 435/970 435/973 435/975 436/169 436/518 436/530 436/805 436/808 436/810. G01N033/558 G01N033/543. 35. <u>5837240</u>. 26 Aug 97; 17 Nov 98. Multimeric, recombinant urease vaccine. Lee; Cynthia K., et al. 424/94.6; 424/234.1 435/227 514/925 514/926 514/927. A61K038/46 A61K039/02 A61K039/106. 36. 5780278. 20 May 96; 14 Jul 98. IceA gene and related methods. Miller; Geraldine G., et al. 536/23.7; 435/6. C12N015/00. 37. <u>5712170</u>. 14 Nov 94; 27 Jan 98. Test strip, its production and use. Kouvonen; Ilkka Sakari, et al. 436/518; 422/56 422/57 422/58 435/287.1 435/287.2 435/287.7 435/287.9 435/4 435/805 435/810 435/970 435/971 435/973 436/169 436/510 436/514 436/528 436/531 436/805 436/810. G01N033/543 G01N033/558. 38. <u>5607863</u>. 07 Dec 93; 04 Mar 97. Barrier-controlled assay device. Chandler; Howard M.. 436/518; 422/104 422/56 422/57 422/58 422/61 435/7.92 435/7.93 435/7.94 435/805 435/969 435/970 436/165 436/170 436/514 436/810. G01N033/543 G01N033/558. 39. 5468648. 07 Dec 93; 21 Nov 95. Interrupted-flow assay device. Chandler; Howard M... 436/518; 422/58 422/60 435/7.1 435/7.92 435/7.93 435/7.94 435/7.95 435/970 435/973 435/974

436/514 436/525 436/530 436/538 436/540 436/807 436/810. G01N033/543.
40. <u>5459041</u> . 18 Feb 88; 17 Oct 95. Campylobacter pylori antigens and uses thereof for detection of Campylobacter pylori infection. Blaser; Martin J., et al. 435/7.21; 435/7.3 435/7.92 435/7.93 435/7.94 435/7.95 435/961 435/974 435/975 436/518 436/527 436/528 436/529 436/531 436/533 436/547 436/804 530/350 530/413 530/806 530/810 530/825. G01N033/53.
41. JP02002333447A. 10 May 01. 22 Nov 02. INSPECTION METHOD FOR DETERMINING INFECTION TO HELICOBACTER PYLORI. WAKASUGI, MASAHIKO, et al. G01N033/573; C07K016/40 C12N005/10 G01N033/569 G01N033/577.
42. WO003093818A2. 30 Apr 03. 13 Nov 03. METHOD FOR PRE-TREATING STOOL SAMPLES. WENGLER, GEORGE. G01N033/53;.
43. WO002088737A1. 23 Apr 02. 07 Nov 02. IMMUNOCHROMATOGRAPHIC TEST PIECE AND DIAGNOSIS KIT. NAKAYA, SEIGO, et al. G01N033/543; G01N033/569 G01N033/573.
44. WO000163285A2. 14 Feb 01. 30 Aug 01. METHOD FOR DETECTING <i>HELICOBACTER PYLORI</i> AND <i>HEILMANII</i> IN FECAL AND SALIVARY SPECIMEN AND BIOPSY MATERIAL. ARMBRUSTER, FRANZ PAUL, et al. G01N033/569;.
45. <u>DE 10219741A</u> . Pretreating <u>fecal</u> samples, useful for detecting <u>Helicobacter pylori</u> antigens, by releasing antigens from endogenous <u>antibodies</u> , to allow their immunochemical detection. WENGLER, G S, et al. C12Q001/04 G01N001/28 G01N033/53 G01N033/569.
46. WO2002102842A. Novel immunogenic Helicobacter species surface protein useful as diagnostic antigens in immunodiagnostic tests e.g. for diagnosing liver, bile tract pancreas and inflammatory bowel disease in humans and animals. LJUNG, A, et al. C07K014/195 C07K014/205 G01N033/569.
47. <u>US20020182600A</u> . Detecting an analyte e.g. cocaine involves conjugating the nucleounits to indicator for the analyte forming nucleounit indicator conjugate and detecting the analyte of interest using the nucleounit indicator conjugate in a buffer. SMITH, J V. C12Q001/68.
48. WO 200288737A. Immunochromatographic test pieces with <u>antibody</u> on laminate for color reaction in kits for detecting <u>Helicobacter pylori</u> infection using <u>feces</u> as specimen e.g. in diagnosis of gastric or duodenal ulcer, chronic gastritis or stomach cancer. HIRATA, H, et al. G01N033/543 G01N033/569 G01N033/573.
49. DE 10006432A. Method for detecting microbial antigens in feces and saliva, useful for diagnosis and monitoring of Helicobacter pylori infection, by double-antibody sandwich assay. ARMBRUSTER, F P, et al. G01N033/541 G01N033/543 G01N033/554 G01N033/569 G01N033/577 G01N033/58.
50. <u>US 5607863A</u> . Chromatographic device for specific binding assay - uses a barrier, having an aperture, to control delivery of sample and reagent, provides improved accuracy and precision. CHANDLER, H M. A61K000/00 G01N033/532 G01N033/543 G01N033/558 G01N033/58.
Generate Collection Print

Terms	Documents
L8 same (hybridoma or monoclonal or mono-clonal or moab or mab	50
or m-ab or mo-ab or antibodies or antibody)	

Prev Page Next Page Go to Doc#

Generate Collection

Print

Search Results - Record(s) 2 through 50 of 50 returned.

☐ 2. <u>20040077965</u> . 13 Nov 02. 22 Apr 04. Method for diagnosis of helicobacter pylori infection. Hubbard, Todd W., et al. 600/532; 422/84 73/23.3 A61B005/08 G01N033/497 G01N031/00.
3. 20040044197. 27 Jun 03. 04 Mar 04. Fluorinated photosensitizers related to chlorins and bacteriochlorins for photodynamic therapy. Pandey, Ravindra K., et al. 540/140; C09B047/04.
4. 20040023316. 27 Apr 01. 05 Feb 04. New method for detecting acid-resistant microorganisms in the stool. Reiter, Christian, et al. 435/7.32; G01N033/554 G01N033/569.
5. 20040019505. 21 Jul 03. 29 Jan 04. Personalized health communication system. Bowman, Bradley R., et al. 705/2; G06F017/60.
6. 20030224401. 19 Feb 03. 04 Dec 03. Proteins for helicobacter diagnosis. Barthold, Stephen, et al. 435/6; 435/227 435/252.3 435/320.1 435/69.3 435/7.32 530/388.26 536/23.2 C12Q001/68 G01N033/554 G01N033/569 C07H021/04 C12N009/78 C12P021/02 C12N001/21.
7. 20030148411. 22 Jan 03. 07 Aug 03. Method for detecting helicobacter pylori and heilmanii in fecal and salivary specimen and biopsy material. Armbruster, Franz Paul, et al. 435/7.32; G01N033/554 G01N033/569.
8. <u>20030124633</u> . 10 Jun 02. 03 Jul 03. Diagnostic methods. Kleimola, Vesa, et al. 435/7.32; G01N033/554 G01N033/569.
9. <u>20030124632</u> . 10 Jun 02. 03 Jul 03. Diagnostic methods. Kleimola, Vesa, et al. 435/7.32; G01N033/554 G01N033/569.
☐ 10. <u>20030109813</u> . 10 Dec 02. 12 Jun 03. Energy-activated targeted cancer therapy. Chen, James. 601/2; A61H001/00.
11. 20030104484. 31 Dec 02. 05 Jun 03. Materials and methods for detection and quantitation of an analyte. Cleaver, Brian D., et al. 435/7.1; G01N033/53.
12. 20020182600. 11 Apr 01. 05 Dec 02. Method for assaying biological and other constituents using synthetic nucleounits in lateral flow, liquid, and dry chemistry techniques. Smith, Jack V 435/6; C12Q001/68.
13. 20020160428. 26 Apr 02. 31 Oct 02. Quantitative non-instrumental immunoassay and device using coloured particles. Sundrehagen, Erling. 435/7.9; 435/287.2 G01N033/53 G01N033/542 C12M001/34.
14. <u>20020142291</u> . 13 Apr 01. 03 Oct 02. Positive detection lateral-flow apparatus and method for small and large analytes. Bauer, Jeffrey S., et al. 435/5; 435/287.2 435/345 435/7.1 436/518 C12M001/34 G01N033/543 C12Q001/70 G01N033/53 C12M003/00 C12N005/06 C12N005/16.
15. 20020090660. 10 Jan 02. 11 Jul 02. Helicobacter pylori antigens in blood. Yi, Ching Sui A., et

al. 435/7.32; G01N033/554 G01N033/569.
☐ 16. 20020087205. 13 Jul 01. 04 Jul 02. Transcutaneous photodynamic treatment of targeted cells. Chen, James. 607/88; 606/9 A61B018/18 A61N001/00.
☐ 17. <u>6699722</u> . 13 Apr 01; 02 Mar 04. Positive detection lateral-flow apparatus and method for small and large analytes. Bauer; Jeffrey S., et al. 436/518; 422/56 422/57 435/7.1 435/7.92 436/514 436/541. G01N033/543.
☐ 18. <u>6555390</u> . 10 May 99; 29 Apr 03. Chromatographic assay or test device. Chandler; Howard Milne. 436/518; 422/56 422/58 422/61 435/287.1 435/287.2 435/287.7 435/287.8 435/287.9 435/4 435/7.1 435/803 435/805 435/810 435/970 436/169 436/501 436/514 436/524 436/527 436/528 436/530 436/538 436/541 436/807 436/810 436/814 436/823. G01N033/543.
☐ 19. <u>6544772</u> . 08 Aug 00; 08 Apr 03. Polynucleotides, materials incorporating them, and methods for using them. Glenn; Matthew, et al. 435/252.3; 435/320.1 536/23.7. C12N001/21 C12N015/63 C12N015/31.
□ 20. <u>6528321</u> . 26 Jun 00; 04 Mar 03. Opposable-element chromatographic assay device for detection of analytes in whole blood samples. Fitzgerald; Daniel, et al. 436/514; 422/55 422/56 422/58 422/61 435/287.1 435/287.9 435/805 435/810 435/962 435/970 436/169 436/174 436/518 436/524 436/525 436/528 436/531 436/805 436/810. G01N033/53.
21. <u>6500629</u> . 13 Sep 00; 31 Dec 02. Materials and methods for detection and quantitation of an analyte. Cleaver; Brian D., et al. 435/7.92; 422/101 422/102 422/55 422/56 422/57 422/58 422/59 422/60 422/61 422/70 435/188 435/28 435/4 435/5 435/6 435/7.1 435/7.21 435/810 436/507 436/513 436/518 436/531 436/548 436/808 436/810 436/814 436/818 436/826 530/300 530/350 536/23.4 53 6/23.7. G01N033/53.
☐ 22. <u>6476209</u> . 28 Nov 00; 05 Nov 02. Polynucleotides, materials incorporating them, and methods for using them. Glenn; Matthew, et al. 536/23.1; 435/6 435/91.1 530/200 536/22.1. C07H021/02 C07H021/04 C12Q001/68 C12P019/34.
☐ 23. <u>6365198</u> . 28 Jan 01; 02 Apr 02. Pharmaceutical preparation for the treatment of gastrointestinal ulcers and hemorrhoids. Niazi; Sarfaraz K 424/725;. A01K065/00 A61K035/78.
☐ 24. <u>6248551</u> . 23 Feb 98; 19 Jun 01. Helicobacter aliphatic amidase AmiE polypeptides, and DNA sequences encoding those polypeptides. De Reuse; Hilde, et al. 435/18; 435/106 435/228 435/32 435/6 514/2 530/344 530/350. A61K039/02.
☐ 25. <u>6107464</u> . 06 Oct 99; 22 Aug 00. iceA gene and related methods. Miller; Geraldine G., et al. 530/350; 424/185.1. C07K001/00 C07K014/00.
26. <u>6017767</u> . 05 Jun 95; 25 Jan 00. Assay device. Chandler; Howard M. 436/514; 422/56 422/57 422/58 422/61 435/287.7 435/287.9 435/288.4 435/288.5 435/7.1 435/7.2 435/7.9 435/7.93 435/7.94 435/7.95 435/969 435/970 435/973 436/518 436/524 436/807 436/809 436/810. G01N033/558 G01N033/543.
☐ 27. <u>6004354</u> . 15 Apr 98; 21 Dec 99. IceA gene and related methods. Miller; Geraldine G., et al. 435/6; 435/7.32 514/44. C12N015/00.

28. <u>5998220</u> . 10 Feb 94; 07 Dec 99. Opposable-element assay devices, kits, and methods employing them. Chandler; Howard M 436/514; 422/55 422/56 422/58 422/61 435/287.1 435/287.2 435/287.7 435/287.8 435/287.9 435/288.5 435/7.92 435/7.93 435/7.94 435/805 435/810 435/970 435/973 435/975 436/164 436/169 436/518 436/530 436/807 436/808 436/810. G01N033/558.
29. <u>5965458</u> . 09 Apr 97; 12 Oct 99. Test strip, its production and use. Kouvonen; Ilkka Sakari, et al. 436/518; 422/56 422/57 422/58 435/287.1 435/287.2 435/287.7 435/287.9 435/7.32 435/7.35 435/805 435/810 435/970 435/973 436/169 436/510 436/514 436/530 436/531 436/533 436/534 436/536 436/65 436/805 436/810 436/818. G01N033/543 G01N033/558.
□ 30. <u>5939252</u> . 09 May 97; 17 Aug 99. Detachable-element assay device. Lennon; Donald J., et al. 435/4; 422/58 435/7.1 435/7.2 435/7.32 435/7.34 435/7.92 435/7.93 435/7.94 435/7.95 435/970 435/975 436/518 436/525 436/807 436/808 436/825. C12Q001/00 G01N033/543.
☐ 31. <u>5919463</u> . 16 Oct 95; 06 Jul 99. Clostridium difficle toxins as mucosal adjuvants. Thomas, Jr.; William D., et al. 424/239.1; 424/184.1 424/192.1 424/234.1 424/236.1 424/247.1 424/278.1 424/94.6 514/2 530/300 530/350 530/825. A61K039/08 A61K038/46.
32. <u>5877028</u> . 31 Mar 93; 02 Mar 99. Immunochromatographic assay device. Chandler; Howard M., et al. 436/514; 422/56 422/58 422/60 435/287.1 435/287.2 435/287.7 435/287.9 435/7.92 435/7.93 435/7.94 435/7.95 435/805 435/810 435/970 435/975 436/169 436/501 436/518 436/805 436/810. G01N033/558.
☐ 33. <u>5869345</u> . 02 Jun 95; 09 Feb 99. Opposable-element assay device employing conductive barrier. Chandler; Howard M 436/514; 422/55 422/56 422/57 422/58 435/287.1 435/287.2 435/287.7 435/287.8 435/287.9 435/288.3 435/288.4 435/805 435/810 435/970 435/973 435/975 436/164 436/169 436/518 436/530 436/536 436/538 436/541 436/805 436/808 436/810. G01N033/543 G01N033/558.
☐ 34. <u>5846838</u> . 18 Jun 97; 08 Dec 98. Opposable-element assay device employing conductive barrier. Chandler; Howard M 436/514; 422/55 422/56 422/57 422/58 435/287.1 435/287.2 435/287.7 435/287.8 435/287.9 435/805 435/810 435/970 435/973 435/975 436/169 436/518 436/530 436/805 436/808 436/810. G01N033/558 G01N033/543.
35. <u>5837240</u> . 26 Aug 97; 17 Nov 98. Multimeric, recombinant urease vaccine. Lee; Cynthia K., et al. 424/94.6; 424/234.1 435/227 514/925 514/926 514/927. A61K038/46 A61K039/02 A61K039/106.
☐ 36. <u>5780278</u> . 20 May 96; 14 Jul 98. IceA gene and related methods. Miller; Geraldine G., et al. 536/23.7; 435/6. C12N015/00.
37. <u>5712170</u> . 14 Nov 94; 27 Jan 98. Test strip, its production and use. Kouvonen; Ilkka Sakari, et al. 436/518; 422/56 422/57 422/58 435/287.1 435/287.2 435/287.7 435/287.9 435/4 435/805 435/810 435/970 435/971 435/973 436/169 436/510 436/514 436/528 436/531 436/805 436/810. G01N033/543 G01N033/558.
☐ 38. <u>5607863</u> . 07 Dec 93; 04 Mar 97. Barrier-controlled assay device. Chandler; Howard M 436/518; 422/104 422/56 422/57 422/58 422/61 435/7.92 435/7.93 435/7.94 435/805 435/969 435/970 436/165 436/170 436/514 436/810. G01N033/543 G01N033/558.
39. <u>5468648</u> . 07 Dec 93; 21 Nov 95. Interrupted-flow assay device. Chandler; Howard M 436/518; 422/58 422/60 435/7.1 435/7.92 435/7.93 435/7.94 435/7.95 435/970 435/973 435/974

436/514 436/525 436/530 436/538 436/540 436/807 436/810. G01N033/543.
40. <u>5459041</u> . 18 Feb 88; 17 Oct 95. Campylobacter pylori antigens and uses thereof for detection of Campylobacter pylori infection. Blaser; Martin J., et al. 435/7.21; 435/7.3 435/7.92 435/7.93 435/7.94 435/7.95 435/961 435/974 435/975 436/518 436/527 436/528 436/529 436/531 436/533 436/547 436/804 530/350 530/413 530/806 530/810 530/825. G01N033/53.
41. <u>JP02002333447A</u> . 10 May 01. 22 Nov 02. INSPECTION METHOD FOR DETERMINING INFECTION TO HELICOBACTER PYLORI. WAKASUGI, MASAHIKO, et al. G01N033/573; C07K016/40 C12N005/10 G01N033/569 G01N033/577.
42. <u>WO003093818A2</u> . 30 Apr 03. 13 Nov 03. METHOD FOR PRE-TREATING STOOL SAMPLES. WENGLER, GEORGE. G01N033/53;.
43. WO002088737A1. 23 Apr 02. 07 Nov 02. IMMUNOCHROMATOGRAPHIC TEST PIECE AND DIAGNOSIS KIT. NAKAYA, SEIGO, et al. G01N033/543; G01N033/569 G01N033/573.
44. WO000163285A2. 14 Feb 01. 30 Aug 01. METHOD FOR DETECTING <i>HELICOBACTER PYLORI</i> AND <i>HEILMANII</i> IN FECAL AND SALIVARY SPECIMEN AND BIOPSY MATERIAL. ARMBRUSTER, FRANZ PAUL, et al. G01N033/569;.
45. DE 10219741A. Pretreating fecal samples, useful for detecting Helicobacter pylori antigens, by releasing antigens from endogenous antibodies, to allow their immunochemical detection. WENGLER, G S, et al. C12Q001/04 G01N001/28 G01N033/53 G01N033/569.
46. WO2002102842A. Novel immunogenic Helicobacter species surface protein useful as diagnostic antigens in immunodiagnostic tests e.g. for diagnosing liver, bile tract pancreas and inflammatory bowel disease in humans and animals. LJUNG, A, et al. C07K014/195 C07K014/205 G01N033/569.
47. <u>US20020182600A</u> . Detecting an analyte e.g. cocaine involves conjugating the nucleounits to indicator for the analyte forming nucleounit indicator conjugate and detecting the analyte of interest using the nucleounit indicator conjugate in a buffer. SMITH, J V. C12Q001/68.
48. WO 200288737A. Immunochromatographic test pieces with <u>antibody</u> on laminate for color reaction in kits for detecting <u>Helicobacter pylori</u> infection using <u>feces</u> as specimen e.g. in diagnosis of gastric or duodenal ulcer, chronic gastritis or stomach cancer. HIRATA, H, et al. G01N033/543 G01N033/569 G01N033/573.
49. DE 10006432A. Method for detecting microbial antigens in feces and saliva, useful for diagnosis and monitoring of Helicobacter pylori infection, by double-antibody sandwich assay. ARMBRUSTER, F P, et al. G01N033/541 G01N033/543 G01N033/554 G01N033/569 G01N033/577 G01N033/58.
50. <u>US 5607863A</u> . Chromatographic device for specific binding assay - uses a barrier, having an aperture, to control delivery of sample and reagent, provides improved accuracy and precision. CHANDLER, H M. A61K000/00 G01N033/532 G01N033/543 G01N033/558 G01N033/58.
Generate Collection Print

Terms	Documents
L8 same (hybridoma or monoclonal or mono-clonal or moab or mab	50
or m-ab or mo-ab or antibodies or antibody)	

Prev Page Next Page Go to Doc#



Generate Collection

Print

Search Results - Record(s) 2 through 50 of 50 returned.

Source resource (a) = the order of the resource
2. 20040077965. 13 Nov 02. 22 Apr 04. Method for diagnosis of helicobacter pylori infection. Hubbard, Todd W., et al. 600/532; 422/84 73/23.3 A61B005/08 G01N033/497 G01N031/00.
☐ 3. 20040044197. 27 Jun 03. 04 Mar 04. Fluorinated photosensitizers related to chlorins and bacteriochlorins for photodynamic therapy. Pandey, Ravindra K., et al. 540/140; C09B047/04.
4. 20040023316. 27 Apr 01. 05 Feb 04. New method for detecting acid-resistant microorganisms in the stool. Reiter, Christian, et al. 435/7.32; G01N033/554 G01N033/569.
5. 20040019505. 21 Jul 03. 29 Jan 04. Personalized health communication system. Bowman, Bradley R., et al. 705/2; G06F017/60.
6. <u>20030224401</u> . 19 Feb 03. 04 Dec 03. Proteins for helicobacter diagnosis. Barthold, Stephen, et al. 435/6; 435/227 435/252.3 435/320.1 435/69.3 435/7.32 530/388.26 536/23.2 C12Q001/68 G01N033/554 G01N033/569 C07H021/04 C12N009/78 C12P021/02 C12N001/21.
7. 20030148411. 22 Jan 03. 07 Aug 03. Method for detecting helicobacter pylori and heilmanii in fecal and salivary specimen and biopsy material. Armbruster, Franz Paul, et al. 435/7.32; G01N033/554 G01N033/569.
☐ 8. <u>20030124633</u> . 10 Jun 02. 03 Jul 03. Diagnostic methods. Kleimola, Vesa, et al. 435/7.32; G01N033/554 G01N033/569.
9. <u>20030124632</u> . 10 Jun 02. 03 Jul 03. Diagnostic methods. Kleimola, Vesa, et al. 435/7.32; G01N033/554 G01N033/569.
☐ 10. 20030109813. 10 Dec 02. 12 Jun 03. Energy-activated targeted cancer therapy. Chen, James. 601/2; A61H001/00.
11. 20030104484. 31 Dec 02. 05 Jun 03. Materials and methods for detection and quantitation of an analyte. Cleaver, Brian D., et al. 435/7.1; G01N033/53.
12. 20020182600. 11 Apr 01. 05 Dec 02. Method for assaying biological and other constituents using synthetic nucleounits in lateral flow, liquid, and dry chemistry techniques. Smith, Jack V 435/6; C12Q001/68.
☐ 13. 20020160428. 26 Apr 02. 31 Oct 02. Quantitative non-instrumental immunoassay and device using coloured particles. Sundrehagen, Erling. 435/7.9; 435/287.2 G01N033/53 G01N033/542 C12M001/34.
14. <u>20020142291</u> . 13 Apr 01. 03 Oct 02. Positive detection lateral-flow apparatus and method for small and large analytes. Bauer, Jeffrey S., et al. 435/5; 435/287.2 435/345 435/7.1 436/518 C12M001/34 G01N033/543 C12Q001/70 G01N033/53 C12M003/00 C12N005/06 C12N005/16.
15. 20020090660. 10 Jan 02. 11 Jul 02. Helicobacter pylori antigens in blood. Yi, Ching Sui A., et

Generate Collection

Print

Search Results - Record(s) 2 through 50 of 50 returned.

· · · · · · · · · · · · · · · · · · ·
☐ 2. <u>20040077965</u> . 13 Nov 02. 22 Apr 04. Method for diagnosis of helicobacter pylori infection. Hubbard, Todd W., et al. 600/532; 422/84 73/23.3 A61B005/08 G01N033/497 G01N031/00.
☐ 3. 20040044197. 27 Jun 03. 04 Mar 04. Fluorinated photosensitizers related to chlorins and bacteriochlorins for photodynamic therapy. Pandey, Ravindra K., et al. 540/140; C09B047/04.
4. 20040023316. 27 Apr 01. 05 Feb 04. New method for detecting acid-resistant microorganisms in the stool. Reiter, Christian, et al. 435/7.32; G01N033/554 G01N033/569.
☐ 5. 20040019505. 21 Jul 03. 29 Jan 04. Personalized health communication system. Bowman, Bradley R., et al. 705/2; G06F017/60.
6. <u>20030224401</u> . 19 Feb 03. 04 Dec 03. Proteins for helicobacter diagnosis. Barthold, Stephen, et al. 435/6; 435/227 435/252.3 435/320.1 435/69.3 435/7.32 530/388.26 536/23.2 C12Q001/68 G01N033/554 G01N033/569 C07H021/04 C12N009/78 C12P021/02 C12N001/21.
7. 20030148411. 22 Jan 03. 07 Aug 03. Method for detecting helicobacter pylori and heilmanii in fecal and salivary specimen and biopsy material. Armbruster, Franz Paul, et al. 435/7.32; G01N033/554 G01N033/569.
8. <u>20030124633</u> . 10 Jun 02. 03 Jul 03. Diagnostic methods. Kleimola, Vesa, et al. 435/7.32; G01N033/554 G01N033/569.
9. <u>20030124632</u> . 10 Jun 02. 03 Jul 03. Diagnostic methods. Kleimola, Vesa, et al. 435/7.32; G01N033/554 G01N033/569.
10. 20030109813. 10 Dec 02. 12 Jun 03. Energy-activated targeted cancer therapy. Chen, James. 601/2; A61H001/00.
11. 20030104484. 31 Dec 02. 05 Jun 03. Materials and methods for detection and quantitation of an analyte. Cleaver, Brian D., et al. 435/7.1; G01N033/53.
☐ 12. 20020182600. 11 Apr 01. 05 Dec 02. Method for assaying biological and other constituents using synthetic nucleounits in lateral flow, liquid, and dry chemistry techniques. Smith, Jack V 435/6; C12Q001/68.
☐ 13. 20020160428. 26 Apr 02. 31 Oct 02. Quantitative non-instrumental immunoassay and device using coloured particles. Sundrehagen, Erling. 435/7.9; 435/287.2 G01N033/53 G01N033/542 C12M001/34.
14. <u>20020142291</u> . 13 Apr 01. 03 Oct 02. Positive detection lateral-flow apparatus and method for small and large analytes. Bauer, Jeffrey S., et al. 435/5; 435/287.2 435/345 435/7.1 436/518 C12M001/34 G01N033/543 C12Q001/70 G01N033/53 C12M003/00 C12N005/06 C12N005/16.
15. 20020090660, 10 Jan 02, 11 Jul 02, Helicobacter pylori antigens in blood, Yi, Ching Sui A., et